

# Package: NGCHM (via r-universe)

September 5, 2024

**Type** Package

**Title** Next Generation Clustered Heat Maps

**Version** 1.0.3

**Description** Next-Generation Clustered Heat Maps (NG-CHMs) allow for dynamic exploration of heat map data in a web browser. 'NGCHM' allows users to create both stand-alone HTML files containing a Next-Generation Clustered Heat Map, and .ngchm files to view in the NG-CHM viewer. See Ryan MC, Stucky M, et al (2020) <[doi:10.12688/f1000research.20590.2](https://doi.org/10.12688/f1000research.20590.2)> for more details.

**License** GPL-3

**URL** <https://md-anderson-bioinformatics.github.io/NGCHM-R/>,  
<https://github.com/MD-Anderson-Bioinformatics/NGCHM-R>

**Depends** R (>= 3.4.0)

**Imports** digest, grDevices, htmltools, httr, jsonlite, logger (>= 0.2.0), methods, stats, tsvio, utils

**Suggests** knitr, rmarkdown, Rtsne, testthat, umap, uwot

**Enhances** NGCHMDemoData, NGCHMSupportFiles

**Additional\_repositories** <https://md-anderson-bioinformatics.r-universe.dev>

**Encoding** UTF-8

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.2.3

**Collate** 'internalFunctions.R' 'allClasses.R' 'allGenerics.R'  
'allMethods.R' 'functions.R' 'chmFromJSON.R'  
'dendrogram-fixes.R' 'shaidy.R' 'ngchmshaidy.R' 'zzz.R'  
'package.R'

**SystemRequirements** Java (>= 11) Git

**Repository** <https://md-anderson-bioinformatics.r-universe.dev>

**RemoteUrl** <https://github.com/MD-Anderson-Bioinformatics/NGCHM-R>

**RemoteRef** HEAD

**RemoteSha** e1a26191c496073d7a51e35d89485f270238819c

## Contents

+	6
castAsInteger	6
castListAsInteger	7
chmAdd	7
chmAddAxisType	8
chmAddColormap	9
chmAddCovariate	10
chmAddCovariateBar	10
chmAddCSS	11
chmAddDataset	12
chmAddDialog	13
chmAddLayer	13
chmAddMenuItem	14
chmAddMetaData	15
chmAddOverview	16
chmAddPCA	16
chmAddProperty	18
chmAddReducedDim	18
chmAddRelated	20
chmAddRelatedGroup	21
chmAddSpecificAxisTypeFunction	21
chmAddTag	22
chmAddTemplate	23
chmAddToolboxR	23
chmAddToolboxR2	24
chmAddToolboxRC	25
chmAddTSNE	25
chmAddUMAP	27
chmAddUWOT	28
chmAxis	29
chmAxisType	30
chmBindFunction	30
chmBrowse	31
chmColOrder<-	32
chmColorMap	32
chmColorMap<-	33
chmColors	34
chmColors<-	35
chmCovariate	36
chmCovariateBar	37
chmCreateCollection	38
chmCreateManagedServer	39
chmCreateServer	40
chmCurrentCollection	41
chmCurrentServer	42
chmDefaultColOrder	42

chmDefaultRowOrder . . . . .	43
chmDeployServer . . . . .	43
chmExportToFile . . . . .	44
chmExportToHTML . . . . .	45
chmExportToPDF . . . . .	46
chmFieldAccessFunction . . . . .	47
chmGetDataset . . . . .	48
chmGetDeployServerConfig . . . . .	48
chmGetFunction . . . . .	49
chmGetOverview . . . . .	49
chmGetProperty . . . . .	50
chmGetTypeInfo . . . . .	51
chmGetURL . . . . .	51
chmHasProperty . . . . .	52
chmInstall . . . . .	53
chmLabel . . . . .	53
chmLabel<- . . . . .	54
chmLayer . . . . .	55
chmLayer<- . . . . .	56
chmListFunctions . . . . .	57
chmListServers . . . . .	58
chmListTypes . . . . .	58
chmLoadCHM . . . . .	59
chmLoadShaidyCHM . . . . .	59
chmMake . . . . .	60
chmMakePrivate . . . . .	61
chmMakePublic . . . . .	62
chmManager . . . . .	63
chmName . . . . .	63
chmNew . . . . .	64
chmNewColorMap . . . . .	66
chmNewCovariate . . . . .	67
chmNewCovariateBar . . . . .	68
chmNewDataLayer . . . . .	69
chmNewDataset . . . . .	70
chmNewDialog . . . . .	71
chmNewFunction . . . . .	72
chmNewProperty . . . . .	73
chmNewServer . . . . .	74
chmOriginalColOrder . . . . .	75
chmOriginalRowOrder . . . . .	75
chmProperties . . . . .	76
chmProperty . . . . .	76
chmProperty<- . . . . .	77
chmRandomColOrder . . . . .	78
chmRandomRowOrder . . . . .	78
chmRegisterAxisFunction . . . . .	79
chmRegisterFunction . . . . .	79

chmRegisterGetMetadataFunction . . . . .	80
chmRegisterMatrixFunction . . . . .	81
chmRegisterToolboxFunction . . . . .	82
chmRegisterType . . . . .	82
chmRegisterTypeMapper . . . . .	83
chmRegisterTypeSplitter . . . . .	84
chmRowOrder<- . . . . .	85
chmServer . . . . .	85
chmSetCollection . . . . .	86
chmSetCredentials . . . . .	87
chmSetDeployServerConfig . . . . .	87
chmStringopFunction . . . . .	88
chmTreeGaps . . . . .	89
chmUninstall . . . . .	89
chmUrlBase . . . . .	90
chmWriteCustomJS . . . . .	91
getDimensions . . . . .	91
gitHashObject . . . . .	92
initLogging . . . . .	92
NGCHM . . . . .	93
ngchm-class . . . . .	94
NGCHM-functions . . . . .	95
NGCHM-initialization . . . . .	95
ngchmAddDatasetBlob . . . . .	97
ngchmAddMatrixToCollection . . . . .	97
ngchmAddObjectToCollection . . . . .	98
ngchmAxis-class . . . . .	98
ngchmAxisFunction-class . . . . .	98
ngchmAxisType-class . . . . .	99
ngchmBar-class . . . . .	99
ngchmCollectionInCollection . . . . .	99
ngchmCollectionTree . . . . .	100
ngchmColormap-class . . . . .	100
ngchmCovariate-class . . . . .	100
ngchmCreateServerProtocol . . . . .	101
ngchmCSS-class . . . . .	102
ngchmDataset-class . . . . .	102
ngchmDialog-class . . . . .	102
ngchmFindRepo . . . . .	102
ngchmGetDataFileShaId . . . . .	103
ngchmGetEnv . . . . .	103
ngchmGetHandleHTTR . . . . .	104
ngchmGetLabels . . . . .	104
ngchmGetLabelsStr . . . . .	105
ngchmGetProtoParam . . . . .	105
ngchmGetServerProtocol . . . . .	106
ngchmInitShaIdRepository . . . . .	106
ngchmJS-class . . . . .	107

ngchmLayer-class . . . . .	107
ngchmListServerProtocols . . . . .	107
ngchmLoadDatasetBlob . . . . .	108
ngchmMakeFormat.original . . . . .	108
ngchmMakeFormat.shaidy . . . . .	109
ngchmMatrixFunction-class . . . . .	110
ngchmMenuItem-class . . . . .	110
ngchmMetaData-class . . . . .	110
ngchmNewBar . . . . .	110
ngchmNewCollection . . . . .	112
ngchmOverview-class . . . . .	112
ngchmProperty-class . . . . .	112
ngchmProtoParamCheck . . . . .	113
ngchmPushSourceRepository . . . . .	113
ngchmPushSourceServer . . . . .	114
ngchmPushTempRepository . . . . .	114
ngchmRegisterServer . . . . .	115
ngchmRelated-class . . . . .	115
ngchmRelatedGroup-class . . . . .	115
ngchmRenderChm . . . . .	116
ngchmResponseJSON . . . . .	116
ngchmRowCenter . . . . .	117
ngchmSaveAsDatasetBlob . . . . .	117
ngchmSaveAsDendrogramBlob . . . . .	118
ngchmSaveChmAsBlob . . . . .	118
ngchmServer-class . . . . .	119
ngchmServerProtocol-class . . . . .	119
ngchmTemplate-class . . . . .	119
ngchmTileDataset . . . . .	119
ngchmTypeMapper-class . . . . .	120
ngchmUnregisterServer . . . . .	120
ngchmValueProp-class . . . . .	120
ngchmVersion2-class . . . . .	121
optDendrogram-class . . . . .	122
plot.ngchmVersion2 . . . . .	123
print.ngchm.type.info . . . . .	123
print.shaidyRepo . . . . .	124
shaid-class . . . . .	124
shaidyAddFileBlob . . . . .	125
shaidyBlobExists . . . . .	125
shaidyCopyBlob . . . . .	126
shaidyCreateProtoBlob . . . . .	126
shaidyFinalizeProtoBlob . . . . .	127
shaidyFindRepo . . . . .	127
shaidyGetComponents . . . . .	128
shaidyGetShaid . . . . .	128
shaidyHashProtoBlob . . . . .	129
shaidyInitRepository . . . . .	129

shaidyLoadProvenanceDB . . . . .	130
shaidyLoadProvidDB . . . . .	130
shaidyLoadRepository . . . . .	131
shaidyNewCache . . . . .	131
shaidyProvenance . . . . .	132
shaidyRepoAPI . . . . .	132
treeCuts-class . . . . .	133
verifyNumeric . . . . .	133
\$.shaidyRepo . . . . .	134

<b>Index</b>	<b>135</b>
--------------	------------

---

+	<i>Add an Axis to an NG-CHM Version 2</i>
---	---

---

**Description**

This function adds an 'ngchmAxis' to an 'ngchmVersion2' object.

**Usage**

```
## S4 method for signature 'ngchmVersion2,ngchmAxis'
e1 + e2
```

**Arguments**

- e1                   An object of class 'ngchmVersion2' to which the axis is to be added.
- e2                   An object of class 'ngchmAxis' representing the axis to be added.

**Value**

An updated 'ngchmVersion2' object with the added axis.

---

castAsInteger	<i>Helper function to cast variables as integers.</i>
---------------	---

---

**Description**

If variable value is far from integer, print error message and stop.

**Usage**

```
castAsInteger(variableToCast)
```

**Arguments**

- variableToCast   Variable to cast as integer

**Value**

integer value of variableToCast

---

castListAsInteger	<i>Helper function to cast list as integer</i>
-------------------	--

---

**Description**

If variable value is far from integer, print error message and stop.

**Usage**

```
castListAsInteger(listToCast)
```

**Arguments**

listToCast	List to cast as integer
------------	-------------------------

**Value**

list with members cast to integers

---

chmAdd	<i>Add a list of objects to a NGCHM.</i>
--------	--

---

**Description**

Each additional parameter is added to the NGCHM according to its type. Objects that require additional information (such as an axis) cannot be added using this function. Objects that can be added are layers (including numeric matrices), datasets, and colormaps.

**Usage**

```
chmAdd(chm, ...)

## S4 method for signature 'ngchm'
chmAdd(chm, ...)
```

**Arguments**

chm	The chm to add the object(s) to.
...	Zero or more objects to add to the NGCHM.

**Value**

The extended chm.

**See Also**

"chmAddAxisType"  
 "chmAddColormap"  
 "chmAddDataset"  
 "chmAddLayer"  
 "chmAddMetaData"

---

chmAddAxisType	<i>Add an axis type to a NGCHM.</i>
----------------	-------------------------------------

---

**Description**

Adds an axis type to a Next Generation Clustered Heat Map (NGCHM) and returns the extended CHM. Multiple axis types may be added to either axis. When the NGCHM is made, any Axis functions matching the specified axis type will be automatically added to the appropriate axis menu, and any Matrix functions matching the types of the rows and columns will be automatically added to the matrix menu.

**Usage**

```

chmAddAxisType(chm, where, type, func)

## S4 method for signature 'ngchm,character,character,ngchmJS'
chmAddAxisType(chm, where, type, func)

## S4 method for signature 'ngchm,character,character,character'
chmAddAxisType(chm, where, type, func)

## S4 method for signature 'ngchm,character,character,missing'
chmAddAxisType(chm, where, type, func)

```

**Arguments**

chm	The chm to add the axis type to.
where	The axis to add the axis type to. Must be either "row" or "column".
type	The type to add to the specified axis.
func	A javascript function that gets values of that type from the current selection. If a string is provided, the function is obtained by calling chmGetFunction.

**Value**

The extended chm.



**See Also**

[chmListTypes\(\)](#)  
[chmRegisterAxisFunction\(\)](#)  
[chmRegisterMatrixFunction\(\)](#)  
[chmRegisterTypeMapper\(\)](#)  
[ngchmAxisType](#)

---

chmAddColormap	<i>Add a colormap to a NGCHM.</i>
----------------	-----------------------------------

---

**Description**

Add a colormap to a Next Generation Clustered Heat Map (NGCHM) and return the extended CHM. Duplicate colormaps will be silently dropped.

**Usage**

```
chmAddColormap(chm, colormap)

## S4 method for signature 'ngchm,ngchmColormap'
chmAddColormap(chm, colormap)
```

**Arguments**

chm	The chm to add the colormap to.
colormap	The colormap to add to the chm.

**Details**

Note that it is not necessary to explicitly add colormaps included with data layers or classification bars. These will be included automatically. Explicitly using this function is only required in order to add additional predefined, but unused colormaps to the NGCHM.

**Value**

The extended chm.

**See Also**

[chmNewColorMap\(\)](#)  
[ngchmColormap](#)

---

chmAddCovariate	<i>Add a covariate to an auxiliary dataset.</i>
-----------------	---

---

### Description

Add a covariate to an auxiliary dataset and return the extended dataset. Do not confuse this function with the one for adding a covariate bar to an NGCHM. For that, please refer to the function `chmAddCovariateBar`.

### Usage

```
chmAddCovariate(dataset, where, covariate)

## S4 method for signature 'ngchmDataset,character,ngchmCovariate'
chmAddCovariate(dataset, where, covariate)
```

### Arguments

dataset	The dataset to add the covariate to.
where	The dataset axis to add the covariate to. Must be one of "row", "column", or "both".
covariate	The covariate to add to the dataset.

### Value

The extended dataset.

### See Also

[chmNewCovariate\(\)](#)  
[ngchmCovariate](#)

---

chmAddCovariateBar	<i>Add a covariate bar to a NGCHM.</i>
--------------------	--

---

### Description

Add a covariate bar to a Next Generation Clustered Heat Map (NGCHM) and return the extended CHM. If passed a covariate, a covariate bar will be created (using any optional parameters supplied) and added.

**Usage**

```
chmAddCovariateBar(chm, where, covar, ...)

## S4 method for signature 'ngchm,character,ngchmBar'
chmAddCovariateBar(chm, where, covar)

## S4 method for signature 'ngchm,character,ngchmCovariate'
chmAddCovariateBar(chm, where, covar, ...)

## S4 method for signature 'ngchm,character,list'
chmAddCovariateBar(chm, where, covar, ...)
```

**Arguments**

chm	The chm to add the covariate bar to.
where	The chm axis(axis) to add the covariate bar to. Must be one of "row", "column", or "both".
covar	The covariate or covariate bar (or a list of them) to add to the chm.
...	Additional parameters passed to chmNewCovariateBar if covar is a covariate.

**Details**

If a covariate bar with the same name already exists on the specified axis or axes, the existing bar will be replaced by the new bar.

**Value**

The extended chm.

**See Also**

[chmNewCovariate\(\)](#)  
[chmNewCovariateBar\(\)](#)  
[ngchmCovariate](#)

---

chmAddCSS

---

*Add custom CSS to a NGCHM.*


---

**Description**

Add custom Cascading Style Sheet (CSS) to a Next Generation Clustered Heat Map (NGCHM) and return the extended CHM.

**Usage**

```
chmAddCSS(chm, css)

## S4 method for signature 'ngchm,character'
chmAddCSS(chm, css)
```

**Arguments**

chm	The chm to add the CSS to.
css	The css selector and style information.

**Value**

The extended chm.

**See Also**

[ngchmCSS](#)

---

chmAddDataset	<i>Add an auxiliary dataset to a NGCHM.</i>
---------------	---

---

**Description**

Add an auxiliary dataset to a Next Generation Clustered Heat Map (NGCHM) and return the extended CHM. The auxiliary dataset will be stored with the NGCHM and be available in whole or in part from the same server, for use, for example, in custom Javascript functions. Do not confuse this function with the one for adding an active data layer to the heatmap itself. For that, please refer to the function `chmAddLayer`.

**Usage**

```
chmAddDataset(chm, dataset)

## S4 method for signature 'ngchm,ngchmDataset'
chmAddDataset(chm, dataset)
```

**Arguments**

chm	The chm to add the dataset to.
dataset	The dataset to add to the chm.

**Value**

The extended chm.

**See Also**[chmNewDataset\(\)](#)[ngchmDataset](#)

---

`chmAddDialog`*Add an extra dialog to a NGCHM.*

---

**Description**

Add an extra dialog to a Next Generation Clustered Heat Map (NGCHM) and return the extended CHM.

**Usage**

```
chmAddDialog(chm, dialog)
```

```
## S4 method for signature 'ngchm,ngchmDialog'  
chmAddDialog(chm, dialog)
```

**Arguments**

<code>chm</code>	The chm to add the dialog to.
<code>dialog</code>	The dialog to add to the chm.

**Value**

The extended chm.

**See Also**[chmNewDialog\(\)](#)[ngchmDialog](#)

---

`chmAddLayer`*Add a Layer to a NGCHM.*

---

**Description**

Add a Layer to a Next Generation Clustered Heat Map (NGCHM) and return the extended CHM. A CHM requires at least one Layer. The first layer added to a NGCHM becomes the primary layer. The second layer added to a NGCHM, if any, becomes the secondary (flicker) layer. Currently at most two layers can be added to a NGCHM.

**Usage**

```
chmAddLayer(chm, layer)

## S4 method for signature 'ngchm,ngchmLayer'
chmAddLayer(chm, layer)

## S4 method for signature 'ngchm,matrix'
chmAddLayer(chm, layer)
```

**Arguments**

chm	The chm to add the layer to.
layer	The layer to add to the chm.

**Value**

The extended chm.

**See Also**

[chmNewDataLayer\(\)](#)  
[ngchmLayer](#)

---

chmAddMenuItem	<i>Add a menu entry to a NGCHM.</i>
----------------	-------------------------------------

---

**Description**

Add a popup menu entry to a Next Generation Clustered Heat Map (NGCHM) and return the extended CHM.

**Usage**

```
chmAddMenuItem(chm, where, label, func)

## S4 method for signature 'ngchm,character,character,ngchmJS'
chmAddMenuItem(chm, where, label, func)

## S4 method for signature 'ngchm,character,character,character'
chmAddMenuItem(chm, where, label, func)
```

**Arguments**

chm	The chm to add the menu entry to.
where	The chm menu(s) to add the menu entry to. Must be one of "row", "column", "both", or "element".
label	The label to display in the menu entry.
func	The javascript function to invoke when the menu entry is selected.

**Value**

The extended chm.

**See Also**

[ngchmMenuItem](#)

---

chmAddMetaData	<i>Add MetaData to NG-CHM</i>
----------------	-------------------------------

---

**Description**

This function adds metadata to a NG-CHM (Next-Generation Clustered Heat Map) object.

**Usage**

```
chmAddMetaData(chm, where, type, value)

## S4 method for signature 'ngchm,character,character,character'
chmAddMetaData(chm, where, type, value)
```

**Arguments**

chm	An object of class 'ngchm'.
where	A single character string specifying where to add the metadata. Can be "row", "column", or "both".
type	A single character string specifying the type of the metadata.
value	A character vector specifying the values of the metadata. If value is a character vector, elements of the vector will be attached as meta data to to NGCHM row of the same name.

**Value**

An updated 'ngchm' object with the new metadata added.

---

chmAddOverview	<i>Generate an overview image of the NGCHM when making it.</i>
----------------	--

---

### Description

Generate an overview image of the NGCHM when making it. By default, the system generates no default overview images. If only one of width or height is specified, the other is calculated based on the aspect ratio of the map.

### Usage

```
chmAddOverview(chm, format, width, height)

## S4 method for signature 'ngchm,character,optNumeric,optNumeric'
chmAddOverview(chm, format, width, height)
```

### Arguments

chm	The chm to add the overview to.
format	The format of the overview ('pdf', 'png', or 'svg').
width	The width of the overview.
height	The height of the overview.

### Value

The extended chm.

---

chmAddPCA	<i>Add PCA coordinates to an NG-CHM.</i>
-----------	--

---

### Description

Add PCA coordinates as hidden covariate bars to an axis of an NG-CHM. One hidden covariate bar is added for each PCA coordinate (up to ndim coordinates). Coordinates are given names 'BASENAME.coordinate.N', where BASENAME is specified by the parameter basename (default "PC") and N ranges from 1 to the number of added covariate bars.

### Usage

```
chmAddPCA(hm, axis, prc, basename = "PC", ndim = 2)
```



**Arguments**

hm	The NGCHM to add the coordinates to.
axis	The NGCHM axis ("row" or "column") to add the coordinates to.
prc	Principal component coordinates (output of <code>stats::prcomp()</code> ) for the specified NGCHM axis.
basename	The prefix to use for the coordinate names.
ndim	The maximum number of coordinates to add.

**Value**

The NGCHM with added coordinates.

**See Also**

[chmAddTSNE\(\)](#)  
[chmAddUMAP\(\)](#)  
[chmAddUWOT\(\)](#)  
[chmAddReducedDim\(\)](#)

**Examples**

```
# Examples using `chmNew()` require git to be installed.
## Not run:
# If the NGCHMDemoData package is installed, use it to demo usage
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  data(TCGA.GBM.EXPR, package = "NGCHMDemoData")
  prc <- prcomp(TCGA.GBM.EXPR[1:50, 1:50])
  hm <- chmNew("gbm", TCGA.GBM.EXPR[1:50, 1:50])
  hm <- chmAddPCA(hm, "column", prc)
}
# Small example not requiring NGCHMDemoData
matrix <- matrix(rnorm(100),
  nrow = 10, ncol = 10,
  dimnames = list(paste0("r", 1:10), paste0("c", 1:10))
)
prc <- prcomp(matrix)
hm <- chmNew("Demo PCA", matrix)
hm <- chmAddPCA(hm, "column", prc)

## End(Not run)
```

---

chmAddProperty	<i>Add custom property to a NGCHM.</i>
----------------	--

---

### Description

Add custom property to a Next Generation Clustered Heat Map (NGCHM) and return the extended CHM.

### Usage

```
chmAddProperty(chm, label, value)
```

```
## S4 method for signature 'ngchm,character,character'
chmAddProperty(chm, label, value)
```

### Arguments

chm	The chm to add the property to.
label	The property label.
value	The property value.

### Value

The extended chm.

### See Also

[ngchmProperty](#)

---

chmAddReducedDim	<i>Add reduced dimension coordinates to an NG-CHM.</i>
------------------	--

---

### Description

Add (reduced) dimension coordinates from an object obj as hidden covariate bars to an axis of an NG-CHM. Depending on the object type, dimName and dimAxis can be used to specify the name of the dimension of interest in obj.

### Usage

```
chmAddReducedDim(hm, axis, obj, dimName, maxDim, basename, dimAxis)
```

**Arguments**

hm	The NGCHM to add the coordinates to.
axis	The NGCHM axis ("row" or "column") to add the coordinates to.
obj	An object containing the (reduced) dimension.
dimName	The name of the (reduced) dimension to create covariate bars for.
maxDim	The maximum number of coordinates to add (default all).
basename	The prefix to use for the coordinate names (defaults to dimName).
dimAxis	The axis on obj containing the named dimension, if applicable.

**Details**

One hidden covariate bar is added for each coordinate obtained from obj. If specified, maxDim limits the maximum number of covariate bars added to the chm.

Coordinates have names 'BASENAME.coordinate.N', where BASENAME is specified by the parameter basename (defaults to dimName if omitted) and N ranges from 1 to the number of added covariate bars.

obj can be a numeric matrix, each column of which is a (reduced) dimension. In this case, dimName and dimAxis are not used for obtaining the reduced dimension. The number of rows of the matrix must equal the size of the specified NGCHM axis and each row of the matrix must be uniquely named using the names from that axis of the NG-CHM.

obj can also be an instance of class className if there exists an S3 method getDimensions.className. The method takes the object as its first parameter and up to two optional parameters, dimName and dimAxis, that can be used to specify the desired dimension. The method's return value is a matrix similar to the one described in the preceding paragraph. This package defines methods for classes prcomp and umap.

**Value**

The NGCHM with added coordinates.

**See Also**

[chmAddPCA\(\)](#)  
[chmAddTSNE\(\)](#)  
[chmAddUMAP\(\)](#)  
[chmAddUWOT\(\)](#)  
[getDimensions\(\)](#)

**Examples**

```
# Examples using `chmNew()` require git to be installed.
## Not run:
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  data(TCGA.GBM.EXPR, package = "NGCHMDemoData")
  mat <- TCGA.GBM.EXPR[1:10, 1:10]
```

```

prc <- prcomp(mat)
hm <- chmNew("Demo reduced dimension coordinates", mat)
hm <- chmAddReducedDim(hm, "column", prc, "PCA", 3, "PC")
umc <- umap::umap(t(mat), n_neighbors = 8)
hm <- chmAddReducedDim(hm, "column", umc, "UMAP")
}
# Small example not requiring NGCHMDemoData
matrix <- matrix(rnorm(100),
  nrow = 10, ncol = 10,
  dimnames = list(paste0("r", 1:10), paste0("c", 1:10))
)
prc <- prcomp(matrix)
hm <- chmNew("Demo reduced dimension coordinates", matrix)
hm <- chmAddReducedDim(hm, "column", prc, "PCA", 3, "PC")
umc <- umap::umap(t(matrix), n_neighbors = 8)
hm <- chmAddReducedDim(hm, "column", umc, "UMAP")

## End(Not run)

```

---

chmAddRelated

Add a link to related information to the NGCHM.

---

## Description

Add a link to related information to the NGCHM.

## Usage

```
chmAddRelated(chm, group, link, description)
```

```
## S4 method for signature 'ngchm,character,character,character'
chmAddRelated(chm, group, link, description)
```

## Arguments

chm	The chm to add the related link to.
group	The name of the group this link belongs to.
link	The link to include. Should be either an absolute URL, or a NGCHM name on the same server.
description	A string describing the referenced link and its relationship to the current NGCHM.

## Value

The extended chm.

---

chmAddRelatedGroup	<i>Add a group of related links to the NGCHM.</i>
--------------------	---

---

### Description

Add a group of related links to the NGCHM.

### Usage

```
chmAddRelatedGroup(chm, name, header, linktype, blurb)
```

```
## S4 method for signature 'ngchm,character,character,character,character'
chmAddRelatedGroup(chm, name, header, linktype, blurb)
```

```
## S4 method for signature 'ngchm,character,character,character,missing'
chmAddRelatedGroup(chm, name, header, linktype)
```

### Arguments

chm	The chm to add the related link group to.
name	The name of the group of links.
header	The header that should be displayed for this group of links.
linktype	Type of link belonging to this group.
blurb	An optional descriptive paragraph to include between the group header and the group links.

### Value

The extended chm.

---

chmAddSpecificAxisTypeFunction	<i>Add a CHM-specific axis type function to a NGCHM.</i>
--------------------------------	--

---

### Description

Adds a CHM-specific axis type function to a Next Generation Clustered Heat Map (NGCHM) and returns the extended CHM. Multiple axis type functions may be added to either axis. When the NGCHM is made, any specific Axis functions matching the specified axis type will be automatically added to the appropriate axis menu.

**Usage**

```
chmAddSpecificAxisTypeFunction(chm, where, type, label, func)
```

```
## S4 method for signature 'ngchm,character,character,character,ngchmJS'
chmAddSpecificAxisTypeFunction(chm, where, type, label, func)
```

```
## S4 method for signature 'ngchm,character,character,character,character'
chmAddSpecificAxisTypeFunction(chm, where, type, label, func)
```

**Arguments**

chm	The chm to add the axis type to.
where	The axis to add the axis type to. Must be either "row", "column", or "both".
type	The type expected by the specified function.
label	The label to use if and when the function is added to the menu.
func	A javascript function that accepts a list of values of that type. If a string is provided, the function is obtained by calling chmGetFunction.

**Value**

The extended chm.

**See Also**

[chmListTypes\(\)](#)  
[ngchmAxisType](#)

---

chmAddTag	<i>Add tags to a NGCHM.</i>
-----------	-----------------------------

---

**Description**

Add one or more tags to a Next Generation Clustered Heat Map (NGCHM) and return the extended CHM.

**Usage**

```
chmAddTag(chm, tag)
```

```
## S4 method for signature 'ngchm,character'
chmAddTag(chm, tag)
```

**Arguments**

chm	The chm to add the dataset to.
tag	The tag(s) to add to the chm.

**Value**

The extended chm.

---

chmAddTemplate	<i>Add a file template to the NGCHM.</i>
----------------	--

---

**Description**

Add a file template to the NGCHM.

**Usage**

```
chmAddTemplate(chm, source.path, dest.path, substitutions)

## S4 method for signature 'ngchm,charOrFunction,character,optList'
chmAddTemplate(chm, source.path, dest.path, substitutions)
```

**Arguments**

chm	The chm to add the file template to.
source.path	A string giving the path to the template, or a function that returns the template content as a string.
dest.path	A string giving the relative path where to store the template in the generated CHM.
substitutions	A list (may be empty) of substitutions to make in the template.

**Value**

The extended chm.

---

chmAddToolboxR	<i>Add standard toolbox to an NG-CHM axis</i>
----------------	---

---

**Description**

This function adds a toolbox to a NG-CHM (Next-Generation Clustered Heat Map) axis.

**Usage**

```
chmAddToolboxR(CHM, axis, axistype, datasetname, idstr)

## S4 method for signature 'ngchm,character,character,character,character'
chmAddToolboxR(CHM, axis, axistype, datasetname, idstr)
```

**Arguments**

CHM	An object of class 'ngchm'.
axis	A single character string specifying the axis where the toolbox will be added. Can be "row", "column", or "both".
axistype	A single character string specifying the type of the axis.
datasetname	A single character string specifying the name of the dataset.
idstr	string to append to toolbox menu labels (default "")

**Value**

An updated 'ngchm' object with the new toolbox added.

---

chmAddToolboxR2	<i>Add Toolbox R2 to NG-CHM</i>
-----------------	---------------------------------

---

**Description**

This function adds a toolbox of type R2 to a NG-CHM (Next-Generation Clustered Heat Map) object.

**Usage**

```
chmAddToolboxR2(CHM, axistype, datasetname, idstr)

## S4 method for signature 'ngchm,character,character,character'
chmAddToolboxR2(CHM, axistype, datasetname, idstr)
```

**Arguments**

CHM	An object of class 'ngchm'.
axistype	A single character string specifying the type of the axis.
datasetname	A single character string specifying the name of the dataset.
idstr	string to append to toolbox menu labels (default "")

**Value**

An updated 'ngchm' object with the new toolbox of type R2 added.



---

chmAddToolboxRC	<i>Add Toolbox RC to NG-CHM</i>
-----------------	---------------------------------

---

### Description

This function adds a toolbox of type RC to a NG-CHM (Next-Generation Clustered Heat Map) object.

### Usage

```
chmAddToolboxRC(CHM, rowtype, coltype, datasetname, idstr)

## S4 method for signature 'ngchm,character,character,character,character'
chmAddToolboxRC(CHM, rowtype, coltype, datasetname, idstr)
```

### Arguments

CHM	An object of class 'ngchm'.
rowtype	A single character string specifying the type of the row.
coltype	A single character string specifying the type of the column.
datasetname	A single character string specifying the name of the dataset.
idstr	string to append to toolbox menu labels (default "")

### Value

An updated 'ngchm' object with the new toolbox of type RC added.

---

chmAddTSNE	<i>Add TSNE coordinates to an NG-CHM.</i>
------------	---

---

### Description

Add TSNE coordinates as hidden covariate bars to an axis of an NG-CHM. One hidden covariate bar is added for each TSNE coordinate. Coordinates have names 'BASENAME.coordinate.N', where BASENAME is specified by the parameter basename (default TSNE) and N ranges from 1 to the number of added covariate bars.

### Usage

```
chmAddTSNE(hm, axis, tsne, pointIds, basename = "TSNE")
```

**Arguments**

hm	The NGCHM to add the coordinates to
axis	The NGCHM axis ("row" or "column") to add the coordinates to
tsne	TSNE coordinates (output of <code>Rtsne::Rtsne()</code> ) for the specified NGCHM axis
pointIds	The NGCHM names for the data points in tsne
basename	The prefix to use for the coordinate names.

**Details**

pointIds is required because `Rtsne::Rtsne()` does not preserve the rownames of the data matrix it was applied to. Their values must match those on that axis of the NGCHM, but their order must match those in the data matrix passed to `Rtsne::Rtsne()`.

**Value**

The NGCHM with added coordinates.

**See Also**

[chmAddPCA\(\)](#)  
[chmAddUMAP\(\)](#)  
[chmAddUWOT\(\)](#)  
[chmAddReducedDim\(\)](#)

**Examples**

```
# Examples using `chmNew()` require git to be installed.
## Not run:
# If the NGCHMDemoData package is installed, use it to demo usage
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  data(TCGA.GBM.EXPR, package = "NGCHMDemoData")
  mat <- TCGA.GBM.EXPR[1:10, 1:10]
  rtc <- Rtsne::Rtsne(t(mat), check_duplicates = FALSE, perplexity = 3)
  hm <- chmNew("gbm", mat)
  hm <- chmAddTSNE(hm, "column", rtc, colnames(mat))
}
# Small example not requiring NGCHMDemoData
matrix <- matrix(rnorm(100),
  nrow = 10, ncol = 10,
  dimnames = list(paste0("r", 1:10), paste0("c", 1:10))
)
rtc <- Rtsne::Rtsne(t(matrix), check_duplicates = FALSE, perplexity = 3)
hm <- chmNew("Demo TSNE", matrix)
hm <- chmAddTSNE(hm, "column", rtc, colnames(matrix))

## End(Not run)
```

---

chmAddUMAP	<i>Add UMAP coordinates to an NG-CHM.</i>
------------	---

---

### Description

Add UMAP coordinates as hidden covariate bars to an axis of an NG-CHM. One hidden covariate bar is added for each UMAP coordinate. Coordinates have names 'BASENAME.coordinate.N', where BASENAME is specified by the parameter `basename` (default UMAP) and N ranges from 1 to the number of added covariate bars.

### Usage

```
chmAddUMAP(hm, axis, umap, basename = "UMAP")
```

### Arguments

<code>hm</code>	The NGCHM to add the coordinates to.
<code>axis</code>	The NGCHM axis ("row" or "column") to add the coordinates to.
<code>umap</code>	TSNE coordinates (output of <code>umap::umap()</code> ) for the specified NGCHM axis.
<code>basename</code>	The prefix to use for the coordinate names.

### Value

The NGCHM with added coordinates.

### See Also

[chmAddPCA\(\)](#)  
[chmAddTSNE\(\)](#)  
[chmAddUWOT\(\)](#)  
[chmAddReducedDim\(\)](#)

### Examples

```
# Examples using `chmNew()` require git to be installed.
## Not run:
# If the NGCHMDemoData package is installed, use it to demo usage
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  data(TCGA.GBM.EXPR, package = "NGCHMDemoData")
  mat <- TCGA.GBM.EXPR[1:50, 1:50]
  umc <- umap::umap(t(mat))
  hm <- chmNew("gbm", mat)
  hm <- chmAddUMAP(hm, "column", umc)
}
# Small example not requiring NGCHMDemoData
matrix <- matrix(rnorm(100),
  nrow = 10, ncol = 10,
```

```

    dimnames = list(paste0("r", 1:10), paste0("c", 1:10))
  )
  umc <- umap::umap(t(matrix), n_neighbors = 8)
  hm <- chmNew("Demo UMAP", matrix)
  hm <- chmAddUMAP(hm, "column", umc)

## End(Not run)

```

chmAddUWOT

*Add UWOT::UMAP coordinates to an NG-CHM.*

## Description

Add UWOT::UMAP coordinates as hidden covariate bars to an axis of an NG-CHM. One hidden covariate bar is added for each UMAP coordinate. Coordinates have names 'BASENAME.coordinate.N', where BASENAME is specified by the parameter `basename` (default UMAP) and N ranges from 1 to the number of added covariate bars.

## Usage

```
chmAddUWOT(hm, axis, uwot, pointIds, basename = "UMAP")
```

## Arguments

<code>hm</code>	The NGCHM to add the coordinates to.
<code>axis</code>	The NGCHM axis ("row" or "column") to add the coordinates to.
<code>uwot</code>	UMAP coordinates (output of <code>uwot::umap()</code> ) for the specified NGCHM axis.
<code>pointIds</code>	The NGCHM names for the data points in <code>uwot</code>
<code>basename</code>	The prefix to use for the coordinate names.

## Details

`pointIds` is required because `uwot::umap()` does not preserve the rownames of the data matrix it was applied to. Their values must match those on that axis of the NGCHM, but their order must match those in the data matrix passed to `uwot::umap()`.

## Value

The NGCHM with added coordinates.

## See Also

[chmAddPCA\(\)](#)  
[chmAddTSNE\(\)](#)  
[chmAddUMAP\(\)](#)  
[chmAddReducedDim\(\)](#)

## Examples

```
# Examples using `chmNew()` require git to be installed.
## Not run:
# If the NGCHMDemoData package is installed, use it to demo usage
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  data(TCGA.GBM.EXPR, package = "NGCHMDemoData")
  umc <- uwot::umap(t(TCGA.GBM.EXPR[1:50, 1:50]))
  hm <- chmNew("gbm", TCGA.GBM.EXPR[1:50, 1:50])
  hm <- chmAddUWOT(hm, "column", umc, colnames(TCGA.GBM.EXPR[1:50, 1:50]))
}
# Small example not requiring NGCHMDemoData
matrix <- matrix(rnorm(100),
  nrow = 10, ncol = 10,
  dimnames = list(paste0("r", 1:10), paste0("c", 1:10))
)
umc <- uwot::umap(t(matrix), n_neighbors = 8)
hm <- chmNew("Demo UMAP", matrix)
hm <- chmAddUWOT(hm, "column", umc, colnames(matrix))

## End(Not run)
```

---

chmAxis

---

*Create a new Axis for adding to an NG-CHM.*


---

## Description

This function creates a new Axis for adding to a Next Generation Clustered Heat Map. You can specify any axis name here, but chmAdd only accepts row, column, and both.

## Usage

```
chmAxis(axis, ...)
```

## Arguments

axis	The name of the axis
...	Objects to add to the axis

## Value

An object of class 'ngchmAxis' representing the newly created axis.

## See Also

[chmAdd\(\)](#)

**Examples**

```
x_axis <- chmAxis('row')
y_axis <- chmAxis('col')
```

---

chmAxisType	Create a new AxisType for adding to an ngchmAxis.
-------------	---

---

**Description**

This function creates a new AxisType for adding to an ngchmAxis.

**Usage**

```
chmAxisType(tyname, func)
```

**Arguments**

tyname	The name of the axis type to be created. This should be a single character string.
func	The function to be used for getting label values. If not provided, the default 'getLabelValue' function is used. If a character string is provided, it is assumed to be the name of a function and is retrieved using 'chmGetFunction'. If a function is provided, it is checked to be of class 'ngchmJS'.

**Value**

An object of class 'ngchmAxisType' representing the newly created axis type.

**See Also**

[chmAxis\(\)](#)

---

chmBindFunction	Bind values to an existing JS function.
-----------------	---

---

**Description**

Create a new JS function by binding values to extra parameters of an existing JS function.

**Usage**

```
chmBindFunction(name, fn, bindings)

## S4 method for signature 'character,ngchmJS,list'
chmBindFunction(name, fn, bindings)

## S4 method for signature 'character,character,list'
chmBindFunction(name, fn, bindings)
```

**Arguments**

name	A single character string specifying the name of the function.
fn	An object of class 'ngchmJS' representing the function to be bound.
bindings	A list containing at least one parameter binding. Each list element binds one parameter, starting from the first unbound parameter, and the name of each list element must match the name of the corresponding parameter.

**Value**

A new 'ngchmJS' object representing the bound function.

**See Also**

[chmNewFunction\(\)](#)

---

chmBrowse

*Browse the NGCHMs on the specified server in the viewer.*

---

**Description**

Opens the NG-CHM browser page in the viewer.

**Usage**

```
chmBrowse(server = NULL, viewer = NULL)
```

**Arguments**

server	The NG-CHM server to be browsed. If NULL, the function will use the first server in the list of available servers.
viewer	The function to be used to open the web browser. If NULL, the function will use the 'browseURL' function.

**Value**

None. This function is used for its side effects of opening a web browser to view the NG-CHM server.

**See Also**

[utils::browseURL\(\)](#)

---

chmColOrder<-	<i>Set the column order of data shown in a NGCHM.</i>
---------------	---

---

### Description

This function sets the column order for a NG-CHM (Next-Generation Clustered Heat Map) object.

### Usage

```
chmColOrder(chm) <- value

## S4 replacement method for signature 'ngchm,optDendrogram'
chmColOrder(chm) <- value
```

### Arguments

chm	An object of class 'ngchm'.
value	An object of class 'optDendrogram' or 'file' specifying the new column order. If value is NULL, the labels will be displayed in the same order they are found in the first data layer. If value is a character vector, the labels will be displayed in that order. If value is a dendrogram, the labels displayed in the order they occur in a depth first traversal of the tree.

### Value

An updated 'ngchm' object with the new column order.

### See Also

"chmRowOrder<-"

---

chmColorMap	<i>Get the color map of an NG-CHM object.</i>
-------------	---

---

### Description

Get the color map of an NG-CHM object.

### Usage

```
chmColorMap(x)
```



**Arguments**

- x**                      The NG-CHM object to get the color map of. Can be:
- An object of class `ngchmLayer`
  - An object of class `ngchmBar`
  - An object of class `ngchmCovariate`

**Value**

An `ngchmColormap`

**See Also**

[chmNewColorMap](#)

**Examples**

```
# If the NGCHMDemoData package is installed, use it to demo usage
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  data(TCGA.GBM.EXPR, package = "NGCHMDemoData")
  colormap <- chmColorMap(chmNewDataLayer("New layer", TCGA.GBM.EXPR[1:3, 1:3]))
}
matrix <- matrix(rnorm(100),
  nrow = 10, ncol = 10,
  dimnames = list(paste0("r", 1:10), paste0("c", 1:10))
)
colormap <- chmColorMap(chmNewDataLayer("New layer", matrix))
```

---

chmColorMap<-	<i>Set the color map of an NG-CHM object</i>
---------------	--

---

**Description**

Set the color map of an NG-CHM object

**Usage**

```
chmColorMap(x) <- value
```

**Arguments**

- x**                      The NG-CHM object on which to set the color map.
- value**                The `ngchmColormap` value to set.

**Value**

The modified NG-CHM object.

**See Also**[chmColorMap](#)**Examples**

```
# If the NGCHMDemoData package is installed, use it to demo usage
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  data(TCGA.GBM.EXPR, package = "NGCHMDemoData")
  dataLayer <- chmNewDataLayer("GBM layer", TCGA.GBM.EXPR[1:30, 1:30])
  chmColorMap(dataLayer) <- chmNewColorMap(c(2, 14))
}
# Small example not requiring NGCHMDemoData
matrix <- matrix(rnorm(100),
  nrow = 10, ncol = 10,
  dimnames = list(paste0("r", 1:10), paste0("c", 1:10))
)
dataLayer <- chmNewDataLayer("my layer", matrix)
chmColorMap(dataLayer) <- chmNewColorMap(c(2, 14))
```

chmColors

---

*Get the colors of an ngchmColormap, ngchmLayer, ngchmBar, or ngchmCovariate.*

---

**Description**

Get the colors of an ngchmColormap, ngchmLayer, ngchmBar, or ngchmCovariate.

**Usage**

```
chmColors(x)
```

**Arguments**

x                      The object to get the colors of.

**Value**

A character string vector of the map colors.

**See Also**[ngchm](#)

**Examples**

```
# If the NGCHMDemoData package is installed, use it to demo usage
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  data(TCGA.GBM.EXPR, package = "NGCHMDemoData")
  colors <- chmColors(chmNewDataLayer("GBM Expression", TCGA.GBM.EXPR[1:50, 1:50]))
}
# Small example not requiring NGCHMDemoData
matrix <- matrix(rnorm(100),
  nrow = 10, ncol = 10,
  dimnames = list(paste0("r", 1:10), paste0("c", 1:10))
)
colors <- chmColors(chmNewDataLayer("my layer", matrix))
```

---

chmColors<-	<i>Set the colors of an ngchmColormap, ngchmLayer, ngchmBar, or ngchmCovariate.</i>
-------------	---

---

**Description**

Set the colors of an ngchmColormap, ngchmLayer, ngchmBar, or ngchmCovariate.

**Usage**

```
chmColors(x) <- value
```

**Arguments**

x	The NG-CHM object on which to set the colors.
value	A character string vector of colors. The vector length must equal the number of data points in the color map.

**Value**

The modified NG-CHM object.

**See Also**

[chmColors](#)

**Examples**

```
# If the NGCHMDemoData package is installed, use it to demo usage
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  data(TCGA.GBM.EXPR, package = "NGCHMDemoData")
  layer <- chmNewDataLayer("GBM Layer", TCGA.GBM.EXPR[1:50, 1:50])
  chmColors(layer) <- c("blue", "white", "red")
}
```

```
# Small example not requiring NGCHMDemoData
matrix <- matrix(rnorm(100),
  nrow = 10, ncol = 10,
  dimnames = list(paste0("r", 1:10), paste0("c", 1:10))
)
layer <- chmNewDataLayer("my layer", matrix)
chmColors(layer) <- c("blue", "white", "red")
```

---

chmCovariate

*Get a covariate attached to an NG-CHM dataset.*


---

## Description

Get a covariate attached to an NG-CHM dataset.

## Usage

```
chmCovariate(dataset, fullname, where)
```

## Arguments

dataset	The NG-CHM dataset to get the covariate from.
fullname	The full name of the covariate to get. If no covariate with that name exists, return NULL.
where	The axis or axes on which to look for the covariate Can be "row", "column", or "both" (default).

## Value

A ngchmCovariate or NULL.

## See Also

[ngchmCovariate](#)

chmNewCovariate

chmCovariateBar

## Examples

```
# If the NGCHMDemoData package is installed, use it to create demo usage
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  data(TCGA.GBM.Demo, package = "NGCHMDemoData")
  dataset <- chmNewDataset("gbmexpr", "TCGA GBM Expression Data", TCGA.GBM.ExpressionData)
  dataset <- chmAddCovariate(
    dataset, "column",
    chmNewCovariate("TP53 Mutation", TCGA.GBM.TP53MutationData)
  )
}
```

```

    tp53_mutation <- chmCovariate(dataset, "TP53 Mutation")
  }
  # Small example not requiring NGCHMDemoData
  matrix <- matrix(rnorm(100),
    nrow = 10, ncol = 10,
    dimnames = list(paste0("r", 1:10), paste0("c", 1:10))
  )
  dataset <- chmNewDataset("Demo", "Random Demo Dataset", matrix)
  covariate <- setNames(rnorm(10), colnames(matrix))
  dataset <- chmAddCovariate(dataset, "column", chmNewCovariate("Random Covariate", covariate))
  random_covariate <- chmCovariate(dataset, "Random Covariate")

```

---

chmCovariateBar

*Get a covariate bar attached to an NG-CHM.*


---

## Description

Get a covariate bar attached to an NG-CHM.

## Usage

```
chmCovariateBar(hm, fullname, where)
```

## Arguments

hm	The NG-CHM to get the covariate bar from.
fullname	The full name of the covariate bar to get. If no covariate bar with that name exists, return NULL.
where	The axis or axes on which to look for the covariate bar Can be "row", "column", or "both" (default).

## Value

An ngchmBar or NULL.

## See Also

[ngchmBar](#)

chmNewCovariateBar

chmCovariate

## Examples

```
# Examples using `chmNew()` require git to be installed and available.
## Not run:
# If the NGCHMDemoData package is installed, use it to demo usage
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  # Create example NGCHM with covariate bar
  data(TCGA.GBM.Demo, package = "NGCHMDemoData")
  hm <- chmNew("gbmexpr", TCGA.GBM.ExpressionData[1:50, 1:50])
  hm <- chmAddCovariateBar(
    hm, "column",
    chmNewCovariate("TP53 Mutation", TCGA.GBM.TP53MutationData[1:50])
  )
  # Get covariate bar by name
  tp53_covariate_bar <- chmCovariateBar(hm, "TP53 Mutation")
}
# Small example not requiring NGCHMDemoData
matrix <- matrix(rnorm(100),
  nrow = 10, ncol = 10,
  dimnames = list(paste0("r", 1:10), paste0("c", 1:10))
)
hm <- chmNew("Demo", matrix)
covariate <- setNames(rnorm(10), colnames(matrix))
hm <- chmAddCovariateBar(hm, "column", chmNewCovariate("my covariate", covariate))
my_covariate_bar <- chmCovariateBar(hm, "my covariate")

## End(Not run)
```

---

chmCreateCollection      *Create a new NG-CHM Collection*

---

## Description

This function creates a new NG-CHM (Next-Generation Clustered Heat Map) collection on the server.

## Usage

```
chmCreateCollection(path, recursive = FALSE)
```

## Arguments

path	The path where the collection should be created. This should be a single character string.
recursive	A logical value indicating whether to create parent collections if they do not exist. Default is FALSE.

## Details

The path is a sequence of components separated by slashes (/). If the path begins with a double slash (//) the following component is interpreted as a server name. If the server name is omitted (i.e. empty) the default server will be used. If the path does not begin with a double slash, the current server will be used.

If the path begins with a slash, the components (following the server, if specified) are interpreted relative to the root collection of the server concerned. Otherwise, they are interpreted relative to the current collection.

The interpretation of each path component is server specific.

## Value

None. This function is used for its side effects of creating a new collection on the server.

## See Also

[chmCurrentCollection\(\)](#)

---

chmCreateManagedServer

*Create an ngchmServer object for a managed NG-CHM server*

---

## Description

Create an ngchmServer object called 'serverName' (see details). The new ngchmServer object is returned and registered so that it can be referenced by name, including retrieval using chmServer. This library will communicate with the NG-CHM using the private address. Returned URLs for viewing NG-CHMs will use the public address.

## Usage

```
chmCreateManagedServer(  
    serverName,  
    privateAddr,  
    publicAddr = NULL,  
    chmPort = 80,  
    managerPort = 18080,  
    serviceName = "default",  
    ...  
)
```

**Arguments**

serverName	The name of the new server object.
privateAddr	Private IP name/address of the server.
publicAddr	Public IP name/address of the server.
chmPort	Port on which the chm viewer is listening.
managerPort	Port on which the chm manager is listening.
serviceName	Name of the chmManager service
...	Additional options passed to chmCreateServer

**Value**

The created (and registered) ngchmServer object.

**See Also**

[chmServer\(\)](#)

[chmCreateServer\(\)](#)

---

chmCreateServer	<i>Create an ngchmServer object from a specification.</i>
-----------------	---

---

**Description**

Create an ngchmServer object called 'serverName' from the specification 'serverSpec' (see details). serverOptions override those in the specification files option by option. The new ngchmServer object is returned and registered so that it can be referenced by name, including retrieval using chmServer.

**Usage**

```
chmCreateServer(serverName, serverSpec = NULL, serverOptions = NULL)
```

**Arguments**

serverName	The name of the new server object.
serverSpec	The specification for the server (defaults to servername).
serverOptions	A named list of server options.



### Details

serverSpec can be any of:

**A configuration directory path.** The specification will be read from a file 'config.txt' in that directory.

**An NGCHM server URL (ending in '/chm' or '/Viewer' for instance).** A minimal specification will be inferred. Known methods for uploading NGCHMs to the server will be autoprobed unless specified manually.

**A URL referencing a configuration file (must end in '/config.txt').** The specification will be read from the specified URL.

serverOptions can include both protocol-specific options and the following generic options:

**'serverURL'.** The URL for the NGCHM server.

**'serverProtocol'.** The protocol to be used for uploading etc. NGCHMs to the server.

**'jarFile'.** The jarFile used to build NGCHMs.

**'traceLevel'.** The amount of trace to output. Defaults to "PROGRESS".

### Value

The created (and registered) ngchmServer object.

### See Also

[chmServer\(\)](#)  
[ngchmServer](#)  
[ngchmGetServerProtocol\(\)](#)  
[ngchmServerProtocol](#)

---

chmCurrentCollection    *Get the user's current collection*

---

### Description

Get the user's current collection

### Usage

```
chmCurrentCollection()
```

### Value

the identity of the current collection

### See Also

[chmSetCollection\(\)](#)

---

chmCurrentServer	<i>Get the user's current server</i>
------------------	--------------------------------------

---

**Description**

Get the user's current server

**Usage**

```
chmCurrentServer()
```

**Value**

the identity of the current server

**See Also**

[chmListServers\(\)](#)

[chmServer\(\)](#)

[chmSetCollection\(\)](#)

---

chmDefaultColOrder	<i>Return default column order of an NGCHM</i>
--------------------	--

---

**Description**

Return default column order of an NGCHM

**Usage**

```
chmDefaultColOrder(chm)
```

**Arguments**

chm	An NGCHM containing at least one layer
-----	--

**Value**

ShaId of a dendrogram suitable for use as the chm's column order.

---

chmDefaultRowOrder	<i>Return default row order of an NGCHM</i>
--------------------	---

---

**Description**

Return default row order of an NGCHM

**Usage**

```
chmDefaultRowOrder(chm)
```

**Arguments**

chm	An NGCHM containing at least one layer
-----	--

**Value**

Shaid of a dendrogram suitable for use as the chm's row order.

---

chmDeployServer	<i>Get the name of a NGCHM server.</i>
-----------------	--

---

**Description**

Return the name of a Next Generation Clustered Heat Map (NGCHM) server.

**Usage**

```
chmDeployServer(server)
```

```
## S4 method for signature 'ngchmServer'  
chmDeployServer(server)
```

**Arguments**

server	The server whose name is required.
--------	------------------------------------

**Value**

The name of the server.

**See Also**

[ngchmServer](#)

---

chmExportToFile	<i>Export a standalone NGCHM to a file.</i>
-----------------	---

---

## Description

Create a standalone viewer for the NGCHM in the specified file. This function requires **Java 11** and the **NGCHMSupportFiles** package.

## Usage

```
chmExportToFile(
  chm,
  filename,
  overwrite = FALSE,
  shaidyMapGen,
  shaidyMapGenJava,
  shaidyMapGenArgs
)
```

## Arguments

chm	The NGCHM to export
filename	The file in which to save the rendered NGCHM
overwrite	Overwrite file iff true (default false)
shaidyMapGen	Path to shaidyMapGen jar file (default to value of environment variable SHAIDYMAPGEN)
shaidyMapGenJava	Path to java executable with which to run shaidyMapGen (default to value of environment variable SHAIDYMAPGENJAVA or java)
shaidyMapGenArgs	Additional arguments to pass to java when running shaidyMapGen (default to value of environment variable SHAIDYMAPGENARGS)

## Details

The NGCHMSupportFiles package can be installed from the R-universe repository:

```
install.packages('NGCHMDemoData',
  repos = c('https://md-anderson-bioinformatics.r-universe.dev',
    'https://cloud.r-project.org'))
```

## Value

the rendered NGCHM

---

chmExportToHTML	<i>Export a standalone HTML containing the NGCHM to a file.</i>
-----------------	---

---

## Description

Create a standalone HTML containing the NGCHM in the specified file. This function requires **Java 11** and the **NGCHMSupportFiles** package.

## Usage

```
chmExportToHTML(
  chm,
  filename,
  overwrite = FALSE,
  shaidyMapGen,
  shaidyMapGenJava,
  shaidyMapGenArgs,
  ngchmWidgetPath
)
```

## Arguments

chm	The NGCHM to generate the PDF for
filename	The file in which to save the PDF
overwrite	Overwrite file iff true (default false)
shaidyMapGen	Path to shaidyMapGen jar file (default to value of environment variable SHAIDYMAPGEN)
shaidyMapGenJava	Path to java executable with which to run shaidyMapGen (default to value of environment variable SHAIDYMAPGENJAVA or java)
shaidyMapGenArgs	Additional arguments to pass to java when running shaidyMapGen (default to value of environment variable SHAIDYMAPGENARGS)
ngchmWidgetPath	Path to location of ngchm Widget (ngchmWidget-min.js). Defaults to environment variable NGCHMWIDGETPATH.

## Details

The NGCHMSupportFiles package can be installed from the R-universe repository:

```
install.packages('NGCHMDemoData',
  repos = c('https://md-anderson-bioinformatics.r-universe.dev',
    'https://cloud.r-project.org'))
```

**Value**

filename

chmExportToPDF

*Export a PDF of the NGCHM to a file.***Description**

Create a PDF of the NGCHM in the specified file. This function requires **Java 11** and the **NGCHM-SupportFiles** package.

**Usage**

```
chmExportToPDF(
  chm,
  filename,
  overwrite = FALSE,
  shaidyMapGen,
  shaidyMapGenJava,
  shaidyMapGenArgs
)
```

**Arguments**

chm	The NGCHM to generate the PDF for
filename	The file in which to save the PDF
overwrite	Overwrite file iff true (default false)
shaidyMapGen	Path to shaidyMapGen jar file (default to value of environment variable SHAIIDYMAP-GEN)
shaidyMapGenJava	Path to java executable with which to run shaidyMapGen (default to value of environment variable SHAIIDYMAPGENJAVA or java)
shaidyMapGenArgs	Additional arguments to pass to java when running shaidyMapGen (default to value of environment variable SHAIIDYMAPGENARGS)

**Details**

The NGCHMSupportFiles package can be installed from the R-universe repository:

```
install.packages('NGCHMDemoData',
  repos = c('https://md-anderson-bioinformatics.r-universe.dev',
    'https://cloud.r-project.org'))
```

**Value**

filename

---

`chmFieldAccessFunction`

*Get Javascript function name for accessing a specific string field in each element of string vector.*

---

## Description

This function returns the name of a Javascript function that accepts a string vector as its parameter, and for each string in the vector splits the string into fields separated by `fieldsep`, and accesses field `idx` (zero origin). The function returns a vector of these fields.

## Usage

```
chmFieldAccessFunction(fieldsep, idx)
```

## Arguments

<code>fieldsep</code>	The separator to be used for splitting the input string. This should be a single character string.
<code>idx</code>	The index (zero origin) of the field to be returned after splitting the input string. This should be a single integer.

## Details

The name of the function returned for a specific `fieldsep` and `idx` will be constant within an R session, but may differ between R sessions (or if this library is unloaded and reloaded).

## Value

The name of the newly created field access function.

## See Also

[chmGetFunction\(\)](#)  
[chmStringopFunction\(\)](#)

## Examples

```
# Create a new field access function that splits the input string at ',' and
# returns the first field.
chmFieldAccessFunction(',', 1)
# Create a new field access function that splits the input string at '-' and
# returns the second field.
chmFieldAccessFunction('-', 2)
```

---

chmGetDataset	<i>Get the dataset from an NG-CHM object</i>
---------------	--

---

**Description**

This function retrieves the dataset associated with a specific NG-CHM (Next-Generation Clustered Heat Map).

**Usage**

```
chmGetDataset(object)

## S4 method for signature 'ngchmLayer'
chmGetDataset(object)
```

**Arguments**

object	An NG-CHM object containing an ngchmDataset
--------	---

**Value**

The dataset associated with the specified object.

---

chmGetDeployServerConfig	<i>Get per-user configuration for a specific deploy Server.</i>
--------------------------	---

---

**Description**

This function retrieves the configuration of a specified NG-CHM (Next-Generation Clustered Heat Map) deployment server.

**Usage**

```
chmGetDeployServerConfig(server)
```

**Arguments**

server	The server for which the configuration is to be retrieved. This can be either a character string representing the server name or an object of class 'ngchm-Server'.
--------	---

**Value**

The configuration of the specified server if it exists, otherwise NULL.



---

chmGetFunction	<i>Get a predefined Javascript function for use in NGCHM menus</i>
----------------	--

---

**Description**

This function returns a predefined Javascript function that can be used when building a Next Generation Clustered Heat Map.

**Usage**

```
chmGetFunction(name)
```

**Arguments**

name	The name of the predefined Javascript function desired.
------	---

**Value**

An object of class ngchmFunction if found, NULL otherwise.

**See Also**

[chmAddMenuItem\(\)](#)  
[chmNewFunction\(\)](#)  
[ngchmAxisFunction](#)  
[ngchmMatrixFunction](#)

---

chmGetOverview	<i>Get the file path to the specified overview file.</i>
----------------	--

---

**Description**

This function returns the file path to the specified overview image of the CHM. The CHM must be made before the file can be accessed. If idx is specified, format if given must equal that of the overview image, and the path to that overview image is returned. If idx is not specified, the file path to the first overview of the given format (default 'png') is returned.

**Usage**

```
chmGetOverview(chm, format = NULL, idx = NULL)
```

**Arguments**

chm	The CHM for which the overview is to be retrieved.
format	The format of overview image desired (defaults to 'png' if idx is not specified).
idx	The index of the overview image desired (defaults to first image of the specified format).

**Value**

The path to the retrieved overview.

---

chmGetProperty	<i>Get Property from NG-CHM</i>
----------------	---------------------------------

---

**Description**

This function retrieves a specific property from a NG-CHM (Next-Generation Clustered Heat Map) object.

**Usage**

```
chmGetProperty(object, label)

## S4 method for signature 'ngchmVersion2,character'
chmGetProperty(object, label)
```

**Arguments**

object	An object of class 'ngchmVersion2' representing the NG-CHM from which the property is to be retrieved.
label	A single character string specifying the label of the property to be retrieved.

**Value**

The property associated with the specified label in the 'ngchmVersion2' object.

---

chmGetTypeInfo	<i>Get information about a type name.</i>
----------------	---

---

**Description**

This function gets any registered information about a type name used for determining row and column linkouts. Registration of a typename is (currently) not required in order to use it, so it's possible for valid type name not to have any registered information.

**Usage**

```
chmGetTypeInfo(typename)
```

**Arguments**

typename	The name of the type.
----------	-----------------------

**Value**

Object of class "ngchm.type.info" containing basic information about the type.

**See Also**

[chmListTypes\(\)](#)  
[chmRegisterType\(\)](#)

---

chmGetURL	<i>Get the URL for an installed NGCHM.</i>
-----------	--

---

**Description**

Return the URL for accessing the specified Next Generation Clustered Heat Map (NGCHM) on the specified server.

**Usage**

```
chmGetURL(chm, ...)  
  
## S4 method for signature 'character'  
chmGetURL(chm, server = NULL, ...)  
  
## S4 method for signature 'ngchm'  
chmGetURL(chm, server = NULL, ...)
```

**Arguments**

chm	A single character string specifying the name of the NG-CHM.
...	Ignored.
server	The server on which to view the NGCHM

**Value**

A character string representing the URL of the specified NG-CHM on the specified server.

**See Also**

[ngchmServer](#)  
[ngchm](#)

---

chmHasProperty	<i>Determine if the NG-CHM has the given property.</i>
----------------	--

---

**Description**

This function checks if a specific property exists in a NG-CHM (Next-Generation Clustered Heat Map) object.

**Usage**

```
chmHasProperty(object, label)

## S4 method for signature 'ngchmVersion2,character'
chmHasProperty(object, label)
```

**Arguments**

object	An object of class 'ngchmVersion2' representing the NG-CHM to be checked.
label	A single character string or a vector of character strings specifying the label(s) of the property(ies) to be checked.

**Value**

A logical value indicating whether the specified property(ies) exist in the 'ngchmVersion2' object. If 'label' is a vector, a logical vector is returned.

---

chmInstall	<i>Add an NG-CHM to an NG-CHM collection.</i>
------------	---

---

**Description**

Add the given Next-Generation Clustered Heat Map (NG-CHM) to the specified collection (default: current collection).

**Usage**

```
chmInstall(chm, ...)  
  
## S4 method for signature 'ngchm'  
chmInstall(chm, path, ...)
```

**Arguments**

chm	The NGCHM to install.
...	Additional server (protocol) specific parameters.
path	The path to the collection in which to install the NGCHM.

**Value**

The installed chm.

**See Also**

[ngchmServer](#)  
[ngchm](#)  
[chmUninstall\(\)](#)  
[chmMakePrivate\(\)](#)  
[chmMakePublic\(\)](#)

---

chmLabel	<i>Get the label/name of an NG-CHM object.</i>
----------	--

---

**Description**

Get the label/name of an NG-CHM object.

**Usage**

```
chmLabel(x)
```

**Arguments**

- `x`                      The NG-CHM object to get the label/name of. Can be:
- An object of class `ngchm`
  - An object of class `ngchmLayer`
  - An object of class `ngchmDataset`
  - An object of class `ngchmBar`
  - An object of class `ngchmCovariate`
  - An object of class `ngchmColormap`

**Value**

A character string (or a vector of strings for an `ngchmColormap`)

**See Also**

[ngchm](#)

**Examples**

```
chmLabel(chmNew("New CHM"))
```

---

<code>chmLabel&lt;-</code>	<i>Set the label/name of an NG-CHM object</i>
----------------------------	---

---

**Description**

Set the label/name of an NG-CHM object

**Usage**

```
chmLabel(x) <- value
```

**Arguments**

- `x`                      The NG-CHM object on which to set the label/name.
- `value`                The new name (a single character string).

**Value**

The modified NG-CHM object.

**See Also**

[chmLabel](#)

**Examples**

```
hm <- chmNew("Old name")
chmLabel(hm) <- "A new name"
```

---

chmLayer

*Get a specified Data Layer from an NG-CHM.*


---

**Description**

This function returns a Data Layer contained in a Next Generation Clustered Heat Map.

**Usage**

```
chmLayer(hm, label)
```

**Arguments**

hm	The NG-CHM object to get the data layer from.
label	The name or index of the data layer to get. If a name, return the layer with that name. If no layer with that name exists or if the index is out of range, return NULL.

**Value**

An object of class ngchmLayer or NULL.

**See Also**

[ngchmLayer](#)

**Examples**

```
# Examples using `chmNew()` require git to be installed and available.
## Not run:
# If the NGCHMDemoData package is installed, use it to create an example usage
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  # Create example NGCHM
  data(TCGA.GBM.Demo, package = "NGCHMDemoData")
  matrix <- TCGA.GBM.ExpressionData[1:50, 1:50]
  hm <- chmNew("New Heat Map") + chmNewDataLayer("my layer", matrix)
  layer <- chmLayer(hm, "my layer")
  same_layer <- chmLayer(hm, 1)
}
# Small example not requiring NGCHMDemoData
matrix <- matrix(rnorm(100),
  nrow = 10, ncol = 10,
  dimnames = list(paste0("r", 1:10), paste0("c", 1:10)))
```

```

)
hm <- chmNew("New Heat Map") + chmNewDataLayer("my layer", matrix)
layer <- chmLayer(hm, "my layer")
same_layer <- chmLayer(hm, 1)

## End(Not run)

```

---

chmLayer<-	<i>Set (or append) a specified Data Layer in an NG-CHM.</i>
------------	---

---

## Description

This function sets a Data Layer in a Next Generation Clustered Heat Map.

## Arguments

x	The NG-CHM object to set the data layer of
label	The name or index of the data layer to set. If a name, replace the layer with that name. Append a new layer if no layer with that name exists. If an index, replace the specified layer. If zero (0), prepend the new layer. If minus one (-1) or N+1 (for an NG-CHM with N layers), appends a new layer.
colors	A colormap for the new layer. If missing, defaults to the color map of the layer being replaced, or to the default new layer color map for a new layer.
summarizationMethod	The summarization method for the new layer. If missing, defaults to the summarization method of the layer being replaced, or to the default new layer summarization method for a new layer.
cuts_color	The cuts color for the new layer. If missing, defaults to the cuts color of the layer being replaced, or to the default cuts color for a new layer.
value	Either a matrix or a data layer to set in the NG-CHM. If value is a matrix, the other data layer parameters (label, colors, summarizationMethod, and cuts_color) are set from the parameters if specified, from the old data layer (if any), or the defaults for a new data layer (see chmNewDataLayer). If value is a data layer, any other data layer parameters specified will override those in the replacement layer.

## Value

An object of class ngchm.

## See Also

[ngchmLayer](#)

[chmNewDataLayer](#)



## Examples

```
# If the NGCHMDemoData package is installed, use demo usage
if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
  data(TCGA.GBM.Demo, package = "NGCHMDemoData")
  matrix <- TCGA.GBM.ExpressionData[1:50, 1:50]
  hm <- chmNew("New Heat Map")
  chmLayer(hm, "Layer 1") <- matrix
  chmLayer(hm, 1, cuts_color = "#fefefe") <- chmNewDataLayer("New data layer", matrix + 1)
}
# Small example not requiring NGCHMDemoData
matrix <- matrix(rnorm(100),
  nrow = 10, ncol = 10,
  dimnames = list(paste0("r", 1:10), paste0("c", 1:10))
)
hm <- chmNew("New Heat Map")
chmLayer(hm, "Layer 1") <- matrix
chmLayer(hm, 1, cuts_color = "#fefefe") <- chmNewDataLayer("New data layer", matrix + 1)
```

---

chmListFunctions	<i>List the predefined Javascript functions available for use in NGCHM menus.</i>
------------------	---

---

## Description

This function lists the predefined Javascript functions available for use in NGCHM menus.

## Usage

```
chmListFunctions(re = ".*")
```

## Arguments

re	The regular expression to match. This should be a single character string. Default is ".*", which matches all functions.
----	--

## Value

A string containing the names and descriptions of the matching functions.

## See Also

```
chmAddMenuItem()
chmGetFunction()
chmRegisterFunction()
grep()
```

**Examples**

```
chmListFunctions() # List all functions.
chmListFunctions('^chm') # List all functions whose names start with 'chm'.
```

---

chmListServers	<i>List NG-CHM Servers</i>
----------------	----------------------------

---

**Description**

This function lists all NG-CHM (Next-Generation Clustered Heat Map) servers that are currently available.

**Usage**

```
chmListServers()
```

**Value**

A character vector containing the names of all available servers.

**Examples**

```
servers <- chmListServers() # Get a list of all available servers.
```

---

chmListTypes	<i>List known axis types.</i>
--------------	-------------------------------

---

**Description**

This function returns a list of the axis types for which axis- or matrix- menu entries may be defined.

**Usage**

```
chmListTypes(re = ".*")
```

**Arguments**

re	Only types with names matching re are returned (default ".*")
----	---

**Value**

a character vector of axis type names

**See Also**

[chmAddAxisType\(\)](#)

---

chmLoadCHM	<i>Load CHM from NG-CHM server</i>
------------	------------------------------------

---

**Description**

Load an R CHM object from an NG-CHM server. The CHM concerned must have been built using this library, version 0.9.4 or later.

**Usage**

```
chmLoadCHM(serverOrURL, name)
```

```
## S4 method for signature 'ngchmServer,character'
chmLoadCHM(serverOrURL, name)
```

```
## S4 method for signature 'character,character'
chmLoadCHM(serverOrURL, name)
```

```
## S4 method for signature 'character,missing'
chmLoadCHM(serverOrURL, name)
```

**Arguments**

serverOrURL	An object of class 'ngchmServer' representing the server from which the NG-CHM is to be loaded.
name	A single character string specifying the name of the NG-CHM to be loaded.

**Value**

An object of class 'ngchm' representing the loaded NG-CHM.

---

chmLoadShaidyCHM	<i>Load an NG-CHM from an NG-CHM server.</i>
------------------	--

---

**Description**

Load an NG-CHM from an NG-CHM server.

**Usage**

```
chmLoadShaidyCHM(mapid, debug = FALSE)
```

**Arguments**

mapid	An NG-CHM ShaidyID that identifies the NG-CHM to download.
debug	If TRUE, return a list containing additional information .

**Value**

An object of class ngchm.

**See Also**

[chmInstall\(\)](#)  
[ngchmPushSourceServer\(\)](#)

---

chmMake

*Compile a NGCHM.*

---

**Description**

Deprecated. Users should no longer call this method directly.

**Usage**

```
chmMake(chm, ...)  
  
## S4 method for signature 'ngchm'  
chmMake(chm, ...)
```

**Arguments**

chm	The NGCHM to compile.
...	Additional chmMake options that depend on the format of the NGCHM. For details of the additional parameters of format x see <code>ngchmMakeFormat.x</code> (e.g. <code>ngchmMakeFormat.original</code> ).

**Details**

Compiles the specified Next Generation Clustered Heat Map (NGCHM) in preparation for installation.

**Value**

The chm

**See Also**

[ngchmServer](#)  
[ngchm](#)  
[chmNew\(\)](#)  
[chmInstall\(\)](#)  
[ngchmMakeFormat.original\(\)](#)

---

chmMakePrivate	<i>Make NG-CHM Private on Server</i>
----------------	--------------------------------------

---

## Description

This function makes a specific NG-CHM (Next-Generation Clustered Heat Map) private on a specified server.

## Usage

```
chmMakePrivate(server, chm)

## S4 method for signature 'ngchmServer,character'
chmMakePrivate(server, chm)

## S4 method for signature 'ngchmServer,ngchm'
chmMakePrivate(server, chm)

## S4 method for signature 'character,ngchm'
chmMakePrivate(server, chm)

## S4 method for signature 'character,character'
chmMakePrivate(server, chm)
```

## Arguments

server	An object of class 'ngchmServer' representing the server where the NG-CHM is hosted.
chm	A single character string specifying the name of the NG-CHM to be made private.

## Value

No return value. The function is called for its side effect of making the specified NG-CHM private on the specified server.

## See Also

[ngchmServer](#)  
[ngchm](#)  
[chmInstall\(\)](#)  
[chmUninstall\(\)](#)  
[chmMakePublic\(\)](#)

---

chmMakePublic	<i>Make NG-CHM Public on Server</i>
---------------	-------------------------------------

---

### Description

This function makes a specific NG-CHM (Next-Generation Clustered Heat Map) public on a specified server.

### Usage

```
chmMakePublic(server, chm)

## S4 method for signature 'ngchmServer,character'
chmMakePublic(server, chm)

## S4 method for signature 'ngchmServer,ngchm'
chmMakePublic(server, chm)

## S4 method for signature 'character,ngchm'
chmMakePublic(server, chm)

## S4 method for signature 'character,character'
chmMakePublic(server, chm)
```

### Arguments

server	An object of class 'ngchmServer' representing the server where the NG-CHM is hosted.
chm	A single character string specifying the name of the NG-CHM to be made public.

### Value

No return value. The function is called for its side effect of making the specified NG-CHM public on the specified server.

### See Also

[ngchmServer](#)  
[ngchm](#)  
[chmInstall\(\)](#)  
[chmUninstall\(\)](#)  
[chmMakePrivate\(\)](#)

---

chmManager	<i>Open the NG-CHM Manager</i>
------------	--------------------------------

---

**Description**

This function opens a web browser to view the NG-CHM (Next-Generation Clustered Heat Map) Manager on the specified server.

**Usage**

```
chmManager(server = NULL, viewer = NULL)
```

**Arguments**

server	The NG-CHM server to be browsed. If NULL, the function will use the first server in the list of available servers.
viewer	The function to be used to open the web browser. If NULL, the function will use the 'browseURL' function.

**Value**

None. This function is used for its side effects of opening a web browser to view the NG-CHM Manager.

**See Also**

[utils::browseURL\(\)](#)

---

chmName	<i>Get the name of a NGCHM.</i>
---------	---------------------------------

---

**Description**

This function returns the name of a Next Generation Clustered Heat Map (NGCHM) object.

**Usage**

```
chmName(chm)

## S4 method for signature 'ngchm'
chmName(chm)
```

**Arguments**

chm	The CHM for which the name is required.
-----	---

**Value**

A string.

**See Also**

[ngchm](#)

---

chmNew

---

*Create a new NGCHM.*


---

**Description**

This function creates a Next Generation Clustered Heat Map (NGCHM) object in memory. Additional parameters will be added to the new NGCHM (see `chmAdd`). The bare NGCHM needs at least one data layer added to it before it can be compiled. This function requires **git** to be installed.

**Usage**

```
chmNew(
  name,
  ...,
  rowOrder = chmDefaultRowOrder,
  rowDist = "correlation",
  rowAgglom = "ward.D2",
  colOrder = chmDefaultColOrder,
  colDist = "correlation",
  colAgglom = "ward.D2",
  rowAxisType = NULL,
  colAxisType = NULL,
  rowCovariates = NULL,
  colCovariates = NULL,
  format = "original",
  rowGapLocations = NULL,
  rowGapWidth = 5,
  colGapLocations = NULL,
  colGapWidth = 5,
  overview = c(),
  logLevel = "INFO",
  logFile = NULL
)
```

**Arguments**

name	The name under which the NGCHM will be saved to the NGCHM server.
...	Zero or more initial objects to include in the NGCHM (see <code>chmAdd</code> ).
rowOrder	A vector, dendrogram, or function specifying the CHM row order.



rowDist	Distance method to use by default RowOrder
rowAgglom	Agglomeration method to use by default RowOrder
colOrder	A vector, dendrogram, or function specifying the CHM column order.
colDist	Distance method to use by default ColOrder
colAgglom	Agglomeration method to use by default ColOrder
rowAxisType	The type(s) of the row labels (default: None).
colAxisType	The type(s) of the column labels (default: None).
rowCovariates	Covariate(Bar)(s) to add to the rows (default: None).
colCovariates	Covariate(Bar)(s) to add to the columns (default: None).
format	The format of NGCHM to produce (default: 'original').
rowGapLocations	Locations for row gaps. Specify as a list of integers or <a href="#">chmTreeGaps()</a> function.
rowGapWidth	Width of row gaps (default: 5 rows)
colGapLocations	Locations for col gaps. Specify as a list of integers or <a href="#">chmTreeGaps()</a> function.
colGapWidth	Width of col gaps (default: 5 cols)
overview	The format(s) of overview image(s) to create (default: None).
logLevel	The level of logs to output
logFile	The file to which logs should be output

**Value**

An object of class `ngchm`

**See Also**

[ngchm](#)  
[ngchmServer](#)  
[chmAdd\(\)](#)  
[chmAddAxisType\(\)](#)  
[chmAddCovariateBar\(\)](#)  
[chmAddProperty\(\)](#)  
[chmAddOverview\(\)](#)  
[chmInstall\(\)](#)  
[chmExportToFile\(\)](#)  
[chmExportToPDF\(\)](#)  
[chmExportToHTML\(\)](#)

## Examples

```
mychm <- chmNew("test_chm")
mychm <- chmNew("test_chm", rowGapLocations = c(3, 5))
mychm <- chmNew("test_chm", rowGapLocations = chmTreeGaps(4))
mychm <- chmNew("test_chm", rowGapWidth = 3)
```

---

chmNewColorMap

---

*Create a new Color Map for use in constructing a NGCHM*


---

## Description

This function creates a new Color Map suitable for use in constructing Data Layers and Covariates in Next Generation Clustered Heat Maps. Color maps can be used in both discrete and continuous contents. In a discrete context, values specifies the properties of series. In a continuous context, values specifies the break points.

## Usage

```
chmNewColorMap(
  values,
  colors = NULL,
  names = NULL,
  shapes = NULL,
  zs = NULL,
  type = "linear",
  missing.color = NULL,
  palette = NULL
)
```

## Arguments

values	A vector specifying the series / break points for which the following colors are defined, or a data matrix.
colors	Either a string vector specifying the color to use for each series / break point, or a single integer.
names	A string vector specifying 'human-readable' names for each series / break point.
shapes	A string vector specifying the shape to use for each series.
zs	A numeric vector specifying the z order to use for each series.
type	The string "linear" (default) or "quantile" (or unique abbreviation thereof).
missing.color	A string specifying the color to use for missing data.
palette	A function(n) that returns a vector of n colors.

**Details**

If values is a matrix, the function will estimate a suitable sequence of color break points. For a quantile color map, the matrix data is ignored. For a linear color map, it will use equispaced values between a low value and a high value. The low value is the median of the minima of each row in the matrix, and the high value is the median of the row maxima. If the low and high values have different signs, the values will be symmetric about zero.

**Value**

An object of class ngchmColormap

**See Also**

[ngchmColormap](#)  
[chmNewDataLayer\(\)](#)  
[chmNewCovariateBar\(\)](#)

**Examples**

```
noise.colors <- chmNewColorMap(c(0, 1, 2),
  c("green", "black", "red"),
  missing.color = "yellow"
)
bar.colors <- chmNewColorMap(c("small", "big"),
  c("#00FFFF", "#FF00FF"),
  type = "quantile"
)
```

---

chmNewCovariate

---

*Create a new Covariate for adding to an NGCHM auxiliary dataset.*


---

**Description**

This function creates a new Covariate suitable for a covariate bar or attaching to an NGCHM auxiliary dataset.

**Usage**

```
chmNewCovariate(
  fullname,
  values,
  value.properties = NULL,
  type = NULL,
  covabbv = NULL
)
```

**Arguments**

fullname	The full (human readable) name of the covariate.
values	A named vector of values (character, logical, or numeric).
value.properties	An ngchmColormap mapping values to properties.
type	The string "discrete" or the string "continuous". (Defaults to continuous for numeric values, to discrete otherwise.)
covabbv	The short R-compatible identifier used to identify the covariate (derived from fullname if not specified).

**Value**

An object of class ngchmCovariate.

**See Also**

[ngchmCovariate](#)  
[chmAddCovariate\(\)](#)  
[chmNewColorMap\(\)](#)

---

chmNewCovariateBar	<i>Create a new covariate Bar for a NGCHM</i>
--------------------	---

---

**Description**

This function creates a new covariate bar suitable for adding to a Next Generation Clustered Heat Map.

**Usage**

```
chmNewCovariateBar(
  covar,
  display = "visible",
  thickness = as.integer(10),
  merge,
  barType,
  loBound,
  hiBound,
  fgColor,
  bgColor
)
```

**Arguments**

covar	The covariate to be displayed in the bar.
display	Whether the covariate bar will be "hidden" or "visible" (default).
thickness	The thickness of the covariate bar in pixels. (Default 10).
merge	Algorithm for merging covariates when necessary ("average", "peakColor", "specialColor", or "mostCommon").
barType	Type of covariate bar ("color_plot", "scatter_plot", "bar_plot"). Default "color_plot".
loBound	Low bound for bar and scatter plots. Default minimum data value.
hiBound	High bound for bar and scatter plots. Default maximum data value.
fgColor	Foreground color for bar and scatter plots. Default black.
bgColor	Background color for bar and scatter plots. Default white.

**Value**

An object of class ngchmBar

**See Also**

[ngchmBar](#)  
[chmNewColorMap\(\)](#)  
[chmAddCovariateBar\(\)](#)

**Examples**

```
bar.data <- ifelse(rnorm(1000) < 0, "negative", "non-negative")
names(bar.data) <- sprintf("Sample%d", 1:length(bar.data))
bar.colors <- chmNewColorMap(c("negative", "non-negative"),
  c("white", "black"),
  missing.color = "red"
)
covar <- chmNewCovariate("Group", bar.data, bar.colors, "discrete")
bar <- chmNewCovariateBar(covar)
```

---

chmNewDataLayer

---

*Create a new Data Layer for a NGCHM.*


---

**Description**

This function creates a new Data Layer suitable for adding to a Next Generation Clustered Heat Map.

**Usage**

```
chmNewDataLayer(label, data, colors, summarizationMethod, cuts_color)
```

**Arguments**

label	The name under which the data layer will be displayed to the user.
data	A matrix containing the data to display. Must have rownames and colnames.
colors	A color map specifying how the data should be rendered. If omitted or NULL, a default green-black-red color map will be estimated from the data.
summarizationMethod	The method to use when summarizing multiple data points per pixel. Possible values are average (default), sample, and mode.
cuts_color	color of cuts

**Value**

An object of class ngchmLayer

**See Also**

[ngchmLayer](#)  
[chmNewColorMap\(\)](#)  
[chmAddLayer\(\)](#)

**Examples**

```
noise <- matrix(runif(1000) + runif(1000 * 1000), nrow = 1000)
rownames(noise) <- sprintf("Row%d", 1:nrow(noise))
colnames(noise) <- sprintf("Col%d", 1:ncol(noise))
noise.colors <- chmNewColorMap(c(0, 1, 2),
  c("green", "black", "red"),
  missing.color = "yellow"
)
layer <- chmNewDataLayer("Noisy Data", noise, noise.colors)
```

---

chmNewDataset

---

*Create a new Dataset for a NGCHM.*


---

**Description**

This function creates a new Dataset suitable for attaching to a Next Generation Clustered Heat Map.

**Usage**

```
chmNewDataset(
  name,
  description,
  data,
  row.type = NULL,
```

```

    column.type = NULL,
    row.covariates = NULL,
    column.covariates = NULL
  )

```

### Arguments

name	The filename prefix under which the dataset will be saved to the ngchm.
description	A description of the dataset.
data	A matrix containing the data in the dataset. Must have rownames and colnames.
row.type	The type, if any, of the dataset rows.
column.type	The type, if any, of the dataset columns.
row.covariates	An optional list of row covariates.
column.covariates	An optional list of column covariates.

### Value

An object of class ngchmDataset

### See Also

[ngchmDataset](#)  
[ngchmCovariate](#)  
[chmAddDataset\(\)](#)

---

chmNewDialog	<i>Create a new Dialog for a NGCHM.</i>
--------------	---

---

### Description

This function creates a new Dialog suitable for adding to a Next Generation Clustered Heat Map.

### Usage

```
chmNewDialog(id, title, fn)
```

### Arguments

id	The html id for the dialog.
title	The dialog title / menu entry name.
fn	The javascript function for customizing the dialog's contents.

### Value

An object of class ngchmDialog

**See Also**[chmAdd\(\)](#)[chmAddDialog\(\)](#)

---

chmNewFunction*Create a new Javascript function for adding to a NGCHM menu.*

---

**Description**

This function creates a new Javascript function object for adding to a Next Generation Clustered Heat Map menu.

**Usage**

```
chmNewFunction(
    name,
    description,
    implementation,
    extraParams = NULL,
    requires = NULL,
    global = FALSE
)
```

**Arguments**

name	The name of the Javascript function
description	A short description of the Javascript function
implementation	A string containing the javascript code required to define the function. When called the function is passed a list of selected values (e.g. labels). Additional parameters can be declared before the values parameter and must be resolved through currying (binding) before the function is used in menus.
extraParams	An optional list of extra parameters. (Default NULL.)
requires	An optional vector of (custom) Javascript function names that this function requires.
global	A logical: TRUE if should be defined globally, not within a customization section. (Default FALSE.)

**Value**

An object of class ngchmJS



**See Also**

[ngchmJS](#)  
[chmAddMenuItem\(\)](#)  
[chmBindFunction\(\)](#)  
[chmRegisterFunction\(\)](#)

**Examples**

```

alertFn <- chmNewFunction("showAlert", "Display the parameter in an alert box",
  "function showAlert(label) { alert(label); }",
  global = TRUE
)
dbLookup <- chmNewFunction(
  "dbLookup", "Lookup the parameter in a database",
  "function showAlert(database, label) { alert(database[label]); }",
  c("database")
)

```

---

chmNewProperty	<i>Create a new Property for adding to a NGCHM.</i>
----------------	---

---

**Description**

This function creates a new Property object for adding to a Next Generation Clustered Heat Map.

**Usage**

```
chmNewProperty(label, value)
```

**Arguments**

label	The property label
value	The property value

**Value**

An object of class ngchmProperty

**See Also**

[ngchm](#)  
[chmAddProperty\(\)](#)

**Examples**

```
prop <- chmNewProperty(
  "chm.info.caption",
  "This is a nifty new CHM."
)
```

---

chmNewServer

---

*Create a new object representing a NGCHM server.*


---

**Description**

This function creates a new object that represents a NGCHM server.

**Usage**

```
chmNewServer(
  serverName,
  serverPort = 8080,
  deployServer = NULL,
  protoOpts = NULL,
  jarFile = NULL,
  serverURL = NULL
)
```

**Arguments**

serverName	The DNS name of the NGCHM server.
serverPort	The port on which the server is listening.
deployServer	The DNS name to use when deploying a NGCHM (defaults to serverName).
protoOpts	A list of protocol-specific parameters
jarFile	The location of the heatmap build jar file to use when making a NGCHM (defaults to jar file on serverURL WS).
serverURL	The URL used to access the NGCHM server (defaults to serverName:serverPort/chm).

**Value**

An object of class ngchmServer

**See Also**

[ngchmServer](#)  
[chmInstall\(\)](#)  
[chmUninstall\(\)](#)

**Examples**

```
cloudServ <- chmNewServer("dnsname.domain")
```

---

chmOriginalColOrder	<i>Return original column order of an NGCHM</i>
---------------------	---

---

**Description**

Return original column order of an NGCHM

**Usage**

```
chmOriginalColOrder(chm)
```

**Arguments**

chm	An NGCHM containing at least one layer
-----	--

**Value**

Shaid of a label order suitable for use as the chm's column order.

---

chmOriginalRowOrder	<i>Return original row order of an NGCHM</i>
---------------------	--

---

**Description**

Return original row order of an NGCHM

**Usage**

```
chmOriginalRowOrder(chm)
```

**Arguments**

chm	An NGCHM containing at least one layer
-----	--

**Value**

Shaid of a label order suitable for use as the chm's row order.

chmProperties

*Create NG-CHM Properties*

---

**Description**

This function creates one or more NG-CHM (Next-Generation Clustered Heat Map) properties.

**Usage**

```
chmProperties(...)
```

**Arguments**

...                      Named arguments representing the properties to be created. Each argument should be a single value of type character, double, integer, or logical.

**Value**

A list of properties. Each property is represented as a list with two elements: 'label' and 'value'.

**See Also**

[chmAdd\(\)](#)

**Examples**

```
# Create three properties: 'prop1', 'prop2', and 'prop3'.
props <- chmProperties(prop1 = "value1", prop2 = 2, prop3 = TRUE)
```

---

chmProperty*Get the value of an NG-CHM property.*

---

**Description**

Get the value of an NG-CHM property.

**Usage**

```
chmProperty(hm, label)
```

**Arguments**

hm	The NG-CHM object to get the property value from.
label	The name of the property to get. If no property with that name exists, return NULL.

Well-known property labels used by the NG-CHM system include:

- \* "chm.info.caption" A paragraph describing the NG-CHM's contents (set by user).
- \* "chm.info.built.time" The date and time the NG-CHM was saved (set by system).

**Value**

A property value or NULL.

**See Also**

[ngchm](#)

**Examples**

```
hm <- chmNew("Empty")
chmProperty(hm, "chm.info.caption")
```

---

chmProperty<-	<i>Set the value of an NG-CHM property.</i>
---------------	---

---

**Description**

Set the value of an NG-CHM property.

**Usage**

```
chmProperty(x, label) <- value
```

**Arguments**

x	The NG-CHM object on which to set the property.
label	The name of the property to set. If no property with that name exists, a new property with that name is appended.
value	A non-empty vector of character, logical, or numeric values.

**Value**

The modified NG-CHM object.

**See Also**[ngchm](#)**Examples**

```
hm <- chmNew("Empty")
chmProperty(hm, "chm.info.caption") <- "Nothing to see here"
```

---

chmRandomColOrder	<i>Return random column order of an NGCHM</i>
-------------------	---

---

**Description**

Return random column order of an NGCHM

**Usage**

```
chmRandomColOrder(chm)
```

**Arguments**

chm                      An NGCHM containing at least one layer

**Value**

Shaid of a label order suitable for use as the chm's column order.

---

chmRandomRowOrder	<i>Return random row order of an NGCHM</i>
-------------------	--

---

**Description**

Return random row order of an NGCHM

**Usage**

```
chmRandomRowOrder(chm)
```

**Arguments**

chm                      An NGCHM containing at least one layer

**Value**

Shaid of a label order suitable for use as the chm's row order.

---

chmRegisterAxisFunction

*Register a predefined Javascript function for use in NGCHM Axis menus.*


---

### Description

This function registers a Javascript function that will be automatically added to the appropriate axis menu(s) when building a Next Generation Clustered Heat Map for axes that match the function's axis type. This function is intended for use by NGCHM system developers.

### Usage

```
chmRegisterAxisFunction(type, label, fn)
```

### Arguments

type	The axis type required by this function.
label	The name of the axis menu entry to be used for this function.
fn	The Javascript function to register.

### Value

None. This function is used for its side effects of registering a new axis function.

### See Also

[chmAddAxisType\(\)](#)  
[chmRegisterMatrixFunction\(\)](#)  
[chmRegisterTypeMapper\(\)](#)  
[chmNewFunction\(\)](#)

---

chmRegisterFunction

*Register a predefined Javascript function for use in NGCHM menus.*


---

### Description

This function registers a Javascript function that can be used when building a Next Generation Clustered Heat Map. This function is intended for use by NGCHM system developers.

### Usage

```
chmRegisterFunction(fn)
```

**Arguments**

fn                      The function to be registered. This should be an object of class 'ngchmJS'.

**Value**

The registered function.

**See Also**

[chmAddMenuItem\(\)](#)  
[chmNewFunction\(\)](#)  
[ngchmAxisFunction](#)  
[ngchmMatrixFunction](#)

---

chmRegisterGetMetadataFunction

*Define and register a Javascript function for obtaining a specific metadata value.*

---

**Description**

This function defines and registers a Javascript function for obtaining a specific metadata value and returning it as a javascript list. The function is suitable for use as an axis type accessor function.

**Usage**

```
chmRegisterGetMetadataFunction(functionName, metadataColumnName)
```

**Arguments**

functionName      A single character string specifying the name of the function to be registered.  
metadataColumnName      A single character string specifying the name of the metadata column to be retrieved by the function.

**Value**

The registered function.

**See Also**

[chmAddAxisType\(\)](#)  
[chmGetFunction\(\)](#)  
[chmListFunctions\(\)](#)



---

`chmRegisterMatrixFunction`*Register a predefined Javascript function for use in NGCHM Matrix menus.*

---

## Description

This function registers a Javascript function that will be automatically added to the matrix menu when building a Next Generation Clustered Heat Map for matrices whose rows and columns match then function's axes types. This function is intended for use by NGCHM system developers.

## Usage

```
chmRegisterMatrixFunction(rowtype, columntype, label, fn)
```

## Arguments

<code>rowtype</code>	A character vector specifying the row type(s) of the matrix function.
<code>columntype</code>	A character vector specifying the column type(s) of the matrix function.
<code>label</code>	A single character string specifying the label of the matrix function.
<code>fn</code>	The function to be registered. This can be either a function or a character string representing the name of a function.

## Value

None. This function is used for its side effects of registering a new function in the NGCHM matrix menus.

## See Also

[chmAddAxisType\(\)](#)  
[chmRegisterAxisFunction\(\)](#)  
[chmRegisterTypeMapper\(\)](#)  
[chmNewFunction\(\)](#)

---

chmRegisterToolboxFunction

*Register a Javascript function for use in the NGCHM toolbox.*


---

### Description

This function registers a Javascript function that can included in the toolbox of an NGCHM. This function is intended for use by NGCHM system developers.

### Usage

```
chmRegisterToolboxFunction(tbtype, menulabel, jsfn)
```

### Arguments

tbtype	A single character string specifying the type of the toolbox function.
menulabel	A single character string specifying the menu label of the toolbox function.
jsfn	The function to be registered. This should be an object of class 'ngchmJS'.

### Value

None. This function is used for its side effects of registering a new toolbox function.

### See Also

[chmNewFunction\(\)](#)  
[ngchmAxisFunction](#)  
[ngchmMatrixFunction](#)

---

chmRegisterType

*Register a type name.*


---

### Description

This function registers a type name used for determining row and column linkouts. This function is intended to be used by NGCHM system developers to record basic information about the semantic interpretation of a type name. Registration of a typename is (currently) not required in order to use it.

### Usage

```
chmRegisterType(typename, description)
```

**Arguments**

typename	A character vector specifying the name(s) of the type(s) to be registered.
description	A single character string specifying the description of the type(s).

**Value**

None. This function is used for its side effects of registering a new type.

**See Also**

[chmListTypes\(\)](#)  
[chmGetTypeInfo\(\)](#)  
[chmRegisterTypeMapper\(\)](#)

---

chmRegisterTypeMapper *Register a predefined Javascript function for converting values from one type to another.*

---

**Description**

This function registers a Javascript function that will be automatically added to a Next Generation Clustered Heat Map as required for converting values from one type into another more basic type. This function is intended for use by NGCHM system developers.

**Usage**

```
chmRegisterTypeMapper(fromtype, totype, op, ...)
```

**Arguments**

fromtype	The type of values the function expects as input.
totype	The type of values the function will produce. The length of totype must be shorter than fromtype.
op	The operation code for performing the conversion
...	Additional parameters required for specifying the conversion (op specific)

**Value**

NULL

op can have the following values:

- 'field' Split source into fields separated by 'separator' and select field 'num' (0 origin)
- 'expr' Compute string expression 'expr'. 'return' value is a vector or a scalar (default)
- 'javascript' Evaluate javascript function 'fn' (deprecated)

**See Also**

[chmAddAxisType\(\)](#)  
[chmRegisterAxisFunction\(\)](#)  
[chmRegisterMatrixFunction\(\)](#)  
[chmNewFunction\(\)](#)

---

chmRegisterTypeSplitter

*Define and register a Javascript function for converting a lists of type values into single values.*

---

**Description**

This function defines and registers a Javascript function for converting a list of type values separated by the specified separator into the single values, and registers it as a type mapper.

**Usage**

chmRegisterTypeSplitter(functionName, listtype, itemtype, separator)

**Arguments**

functionName	A single character string specifying the name of the function to be registered.
listtype	A single character string specifying the type of the list to be split.
itemtype	A single character string specifying the type of the items in the list after splitting.
separator	A single character string specifying the separator to be used for splitting.

**Value**

None. This function is used for its side effects of registering a new type splitter.

**See Also**

[chmGetFunction\(\)](#)  
[chmListFunctions\(\)](#)  
[chmRegisterTypeMapper\(\)](#)

---

chmRowOrder<-	<i>Set the row order of data shown in a NGCHM.</i>
---------------	--

---

### Description

This function sets the row order for a NG-CHM (Next-Generation Clustered Heat Map) object.

### Usage

```
chmRowOrder(chm) <- value

## S4 replacement method for signature 'ngchm,optDendrogram'
chmRowOrder(chm) <- value
```

### Arguments

chm	An object of class 'ngchm'.
value	An object of class 'optDendrogram' or 'file' specifying the new row order. If value is NULL, the labels will be displayed in the same order they are found in the first data layer. If value is a character vector, the labels will be displayed in that order. If value is a dendrogram, the labels displayed in the order they occur in a depth first traversal of the tree.

### Value

An updated 'ngchm' object with the new row order.

### See Also

"chmColOrder<-"

---

chmServer	<i>Get a registered ngchmServer object for use in making and installing NGCHMs</i>
-----------	--

---

### Description

This function returns a ngchmServer object that can be used when making and installing a Next Generation Clustered Heat Map.

### Usage

```
chmServer(name)
```

### Arguments

name	The name of the ngchmServer desired.
------	--------------------------------------

**Value**

An object of class `ngchmServer` if found, `NULL` otherwise. If multiple servers of the same name have been defined (in different namespaces), the most recently defined is returned.

**See Also**

[chmInstall\(\)](#)  
[chmUninstall\(\)](#)  
[ngchmServer](#)

---

<code>chmSetCollection</code>	<i>Set the user's current server and/or collection</i>
-------------------------------	--

---

**Description**

The path is a sequence of components separated by slashes (/). If the path begins with a double slash (//) the following component is interpreted as a server name. If the server name is omitted (i.e. empty) the default server will be used. If the path does not begin with a double slash, the current server will be used.

**Usage**

```
chmSetCollection(path)
```

**Arguments**

<code>path</code>	A single character string specifying the path of the collection to be set. The path should be in the format <code>'//server/collection'</code> .
-------------------	--

**Details**

If the path begins with a slash, the components (following the server, if specified) are interpreted relative to the root collection of the server concerned. Otherwise, they are interpreted relative to the current collection.

The interpretation of each path component is server specific.

**Value**

None. This function is used for its side effects of setting the current server and collection.

**See Also**

[chmCurrentCollection\(\)](#)  
[chmServer\(\)](#)  
[chmListServers\(\)](#)

---

chmSetCredentials	<i>Set Access Credentials for NG-CHM Server</i>
-------------------	---

---

**Description**

This function sets the credentials for a specific NG-CHM (Next-Generation Clustered Heat Map) server.

**Usage**

```
chmSetCredentials(resource, credentials)

## S4 method for signature 'ngchmServer,character'
chmSetCredentials(resource, credentials)

## S4 method for signature 'character,character'
chmSetCredentials(resource, credentials)
```

**Arguments**

resource	An object of class 'ngchmServer' or a character string representing the server for which the credentials are to be set.
credentials	A single character string specifying the credentials to be set for the server.

**Value**

No return value. The function is called for its side effect of setting the credentials for the specified server.

---

chmSetDeployServerConfig	<i>Specify per-user configuration for a specific deploy Server.</i>
--------------------------	---

---

**Description**

Specify per-user configuration for a specific deploy Server.

**Usage**

```
chmSetDeployServerConfig(server, config)
```

**Arguments**

server	An object of class 'chmServer' or a character string specifying the name of the server.
config	A list specifying the configuration to be set for the server.

**Value**

None. This function is used for its side effects of setting the deployment server configuration.

---

chmStringopFunction	<i>Get Javascript function name for performing a specific string operation on each element of a string vector.</i>
---------------------	--

---

**Description**

This function returns the name of a Javascript function that accepts a string vector as its parameter, and for each string in the vector performs the operation stringop on the string. Stringop must be valid Javascript code that can be appended to a string value. The function returns a vector of the resulting strings.

**Usage**

```
chmStringopFunction(stringop)
```

**Arguments**

stringop	A javascript code fragment that can be applied to a string to yield another string.
----------	---

**Details**

The name of the function returned for a specific stringop will be constant within an R session, but may differ between R sessions (or if this library is unloaded and reloaded).

**Value**

A character string specifying the name of the new function.

**See Also**

[chmGetFunction\(\)](#)

[chmFieldAccessFunction\(\)](#)



---

chmTreeGaps	<i>Creates new treeCuts object</i>
-------------	------------------------------------

---

### Description

This function was designed to facilitate setting rowGapLocations and colGapLocations in the [chmNew\(\)](#) function. See examples section.

### Usage

```
chmTreeGaps(numberOfCuts)
```

### Arguments

numberOfCuts     Number of tree cuts

### Value

[treeCuts](#) object with specified number of tree cuts

### Examples

```
mychm <- chmNew("test_chm", rowGapLocations = chmTreeGaps(5))
```

---

chmUninstall	<i>Remove an NG-CHM from Server</i>
--------------	-------------------------------------

---

### Description

This function removes a specific NG-CHM (Next-Generation Clustered Heat Map) from a specified server.

### Usage

```
chmUninstall(chm, ...)

## S4 method for signature 'character'
chmUninstall(chm, server = NULL, ...)

## S4 method for signature 'ngchm'
chmUninstall(chm, ...)
```

**Arguments**

chm	A single character string specifying the NG-CHM's name, or an object of class "ngchm" representing the NG-CHM to be uninstalled.
...	Additional server (protocol) specific parameters.
server	An object of class 'ngchmServer' or a character string representing the server from which the NG-CHM is to be uninstalled. If not provided, the current server is used.

**Value**

No return value. The function is called for its side effect of uninstalling the specified NG-CHM from the specified server.

**See Also**

[ngchmServer](#)  
[ngchm](#)  
[chmInstall\(\)](#)

---

chmUrlBase

---

*Get the base URL for a NGCHM installed on a NGCHM server.*


---

**Description**

Return the base URL of a Next Generation Clustered Heat Map (NGCHM) that has been installed on a NGCHM server.

**Usage**

```
chmUrlBase(server)

## S4 method for signature 'ngchmServer'
chmUrlBase(server)
```

**Arguments**

server	The server whose base URL is required.
--------	--

**Value**

The base URL for accessing NGCHMs installed on the server.

**See Also**

[ngchmServer](#)

---

chmWriteCustomJS	<i>Output Javascript code required to customize an NGCHM.</i>
------------------	---

---

### Description

This function outputs the Javascript required to customize an NGCHM.

### Usage

```
chmWriteCustomJS(chm, filename)
```

### Arguments

chm	An object of class 'chm' representing the heat map.
filename	A single character string specifying the name of the file where the JavaScript will be written.

### Value

None. This function is used for its side effects of writing the JavaScript to a file.

---

getDimensions	<i>Generic method to get a dimensions matrix from obj.</i>
---------------	--

---

### Description

The return value must be NULL or a numeric matrix, each column of which is a (reduced) dimension. The rows of the returned matrix must be named.

### Usage

```
getDimensions(obj, ...)

## Default S3 method:
getDimensions(obj, ...)

## S3 method for class 'prcomp'
getDimensions(obj, ...)

## S3 method for class 'umap'
getDimensions(obj, ...)

## S3 method for class 'Seurat'
getDimensions(obj, dimName, ...)
```

**Arguments**

obj	The object from which to obtain the dimension(s).
...	Additional class-specific parameters for specifying the desired dimension.
dimName	The name of the dimension matrix to obtain.

**Value**

A matrix with one dimension per column and one named row per observation in obj.

**See Also**

[chmAddReducedDim\(\)](#)

---

gitHashObject	<i>Obtain the git hash of an existing file.</i>
---------------	---

---

**Description**

Obtain the git hash of an existing file.

**Usage**

```
gitHashObject(path)
```

**Arguments**

path	filename of file to hash
------	--------------------------

**Value**

a string containing the file hash

---

initLogging	<i>Initialize Logging</i>
-------------	---------------------------

---

**Description**

This function initializes logging for the application.

**Usage**

```
initLogging(log_level, log_file = NULL)
```

**Arguments**

log_level	A single character string specifying the log level. This should be one of 'TRACE', 'DEBUG', 'INFO', 'WARN', 'ERROR', or 'FATAL'.
log_file	An optional character string specifying the name of the file where the log will be written. If this is NULL, the log will be written to the console.

**Value**

None. This function is used for its side effects of initializing the logging.

---

 NGCHM

---

*Next Generation Clustered Heat Map (NGCHM) Construction Library*


---

**Description**

NGCHM provides tools for defining the contents of a new NGCHM, and for compiling and installing it on a NGCHM server.

**Details**

Typical usage (see example) is to create a base NGCHM using `chmNew`; extend it with at least one `ngchmLayer`; typically extend it further with an additional `ngchmLayer`, row and column dendrograms, classification bars, and popup menu entries; compile and install it on an available `ngchm-Server`.

Note:

- `chmNew()` requires **git** to be installed.
- `chmExportToFile()`, `chmExportToHTML()`, and `chmExportToPDF()` require **Java 11** and the **NGCHMSupportFiles** package. The NGCHMSupportFiles package can be installed with:

```
install.packages('NGCHMDemoData',
  repos = c('https://md-anderson-bioinformatics.r-universe.dev',
    'https://cloud.r-project.org'))
```

**Initialization**

When first loaded the NGCHM library reads configuration files in the directories specified by the NGCHMCONFIGPATH environment variable. This is a colon (:) separated list of directory names. If not set it defaults to `/etc/ngchm:/usr/local/ngchm:/opt/ngchm:$HOME/.ngchm`. See NGCHM-initialization for details.

**See Also**

[chmNew\(\)](#)  
[chmAdd\(\)](#)  
[chmExportToFile\(\)](#)  
[chmExportToPDF\(\)](#)  
[chmSetCollection\(\)](#)  
[chmInstall\(\)](#)  
[ngchm](#)

**Examples**

```

# Examples using `chmNew()` require git to be installed.
# The NGCHMSupportFiles package is required by chmExportToFile and chmExportToPDF
# The NGCHMDemoData package is used to create a demo NGCHM
## Not run:
if (requireNamespace("NGCHMSupportFiles", quietly = TRUE)) {
  if (requireNamespace("NGCHMDemoData", quietly = TRUE)) {
    library(NGCHMSupportFiles)
    library(NGCHMDemoData)
    data(TCGA.GBM.EXPR, package = "NGCHMDemoData")
    chm1 <- chmNew("gbm", TCGA.GBM.EXPR[1:50, 1:50],
      rowAxisType = "bio.gene.hugo",
      colAxisType = "bio.tcga.barcode.sample.vial.portion.analyte.aliquot"
    )
    chmExportToFile(chm1, tempfile("gbm", fileext = ".ngchm"))
    chmExportToPDF(chm1, tempfile("gbm", fileext = ".pdf"))
  }
}
mat <- matrix(rnorm(100), nrow = 10)
rownames(mat) <- sprintf("ABCA%d", 1:10)
colnames(mat) <- sprintf("Sample%d", 1:10)
chm <- chmNew("my-chm", mat)
chmSetCollection("//server/collection")
chmInstall(chm)

## End(Not run)

```

---

ngchm-class

---

*Class representing a Next Generation Clustered Heat Map (NGCHM) under construction.*


---

**Description**

An NG-CHM is produced by creating a heat map object with [chmNew\(\)](#), possibly modifying or augmenting it using additional functions, such as [chmAddLayer\(\)](#), [chmAddCovariateBar\(\)](#), etc., and then either saving it to a server using [chmInstall\(\)](#) or saving it to a standalone file using [chmExportToFile\(\)](#).

**See Also**

[chmNew\(\)](#)  
[chmRowOrder<-\( \)](#)  
[chmColOrder<-\( \)](#)  
[chmAdd\(\)](#)  
[chmAddLayer\(\)](#)  
[chmAddCovariateBar\(\)](#)  
[chmAddDataset\(\)](#)  
[chmAddAxisType\(\)](#)  
[chmInstall\(\)](#)  
[chmExportToFile\(\)](#)

---

NGCHM-functions	<i>Javascript extensions for the Next Generation Clustered Heat Map (NGCHM) Construction Library</i>
-----------------	--

---

**Description**

Currently:

- Axis function View Ideogram is added for the appropriate axis types.

**See Also**

[chmGetFunction\(\)](#)  
[chmListFunctions\(\)](#)

---

NGCHM-initialization	<i>Initialization of the NGCHM library.</i>
----------------------	---

---

**Description**

When first loaded the NGCHM library reads configuration files in the configuration path specified by the NGCHMCONFIGPATH environment variable. The configuration path is a colon (:) separated list of directory names. If not set it defaults to /etc/ngchm:/usr/local/ngchm:/opt/ngchm:\$HOME/.ngchm.

## Details

For each configuration directory in the configuration path, the NGCHM package reads the contents of the configuration files in the `conf.d` subdirectory in order (as determined by the R sort function). Other subdirectories are not scanned unless instructed to by an entry in a configuration file.

Configuration files may be either text files (.txt extension), R scripts (.R extension), or javascript files (.js extension).

Here is an example directory structure for a server named 'my\_server':

```
.
|-- conf.d
|   |-- 00-servers.txt
|-- my_server
|   |-- config.txt
```

Here are the contents of an example 00-servers.txt file:

```
[servers]
my-server = /usr/local/ngchm/my_server
```

Here are the contents of an example config.txt file:

```
serverProtocol = shaidy
accessMethod = api
basePath = <URL to server. e.g. "https://mydomain.edu/server/api">
serverURL = <URL to server. e.g. "https://mydomain.edu/server">
```

## Value

None. This function is used for its side effects of loading configuration files.

## Text files

A text configuration file consists of one or more sections. Each section begins with a single line containing the section type enclosed in square brackets. Subsequent lines in the section are either blank or contain a definition of the form "name separator value". The default separator is the equals sign (=).

The 'servers' section defines available servers. The name field defines the name by which the server is known to the library. The value field specifies a directory containing a specification of the server's properties. The server specification directory must contain a `config.txt` that contains lines of the form "name separator value". The `config.txt` file must define the value of 'serverProtocol' to be the name of a `ngchmServerProtocol`. It must also define the values of any mandatory parameters required by `ngchmServerProtocol`, and may optionally define any optional parameters.

## R scripts

R scripts are sourced. They can be used to define local NGCHM related functions.

## Javascript scripts

Javascript files define context specific menu entries.



---

ngchmAddDatasetBlob     *Add a data file to a local shaidy repository*

---

**Description**

Add a data file to a local shaidy repository

**Usage**

```
ngchmAddDatasetBlob(shaidyRepo, format, filename, properties = NULL)
```

**Arguments**

shaidyRepo	The shaidy repository
format	The format of the data file
filename	The filesystem path to the data file
properties	A list of additional properties to save with file

**Value**

The file's shaid

---

ngchmAddMatrixToCollection  
                          *Add a matrix reference to a collection*

---

**Description**

Add a matrix reference to a collection

**Usage**

```
ngchmAddMatrixToCollection(collection, name, shaid)
```

**Arguments**

collection	A list containing details of a collection
name	The name to associate with the matrix reference
shaid	The shaid of the matrix to add to the collection

**Value**

An updated list containing details of the collection

---

ngchmAddObjectToCollection	<i>Add an object reference to a collection</i>
----------------------------	--

---

**Description**

Add an object reference to a collection

**Usage**

ngchmAddObjectToCollection(repo, uuid, shaid)

**Arguments**

repo	The repository containing the collection
uuid	A collection uuid
shaid	The shaid of the object to add to the collection

**Value**

An updated list containing details of the collection

---

ngchmAxis-class	<i>Class representing an axis of a Next Generation Clustered Heat Map (NG-CHM).</i>
-----------------	---

---

**Description**

Class representing an axis of a Next Generation Clustered Heat Map (NG-CHM).

**See Also**

[chmAxis\(\)](#)

---

ngchmAxisFunction-class	<i>Class representing an axis function for Next Generation Clustered Heat Map (NGCHM).</i>
-------------------------	--

---

**Description**

Class representing an axis function for Next Generation Clustered Heat Map (NGCHM).

---

ngchmAxisType-class	<i>Class representing a type attached to an axis in a Next Generation Clustered Heat Map (NGCHM).</i>
---------------------	---

---

**Description**

Class representing a type attached to an axis in a Next Generation Clustered Heat Map (NGCHM).

---

ngchmBar-class	<i>Class representing a Covariate Bar on a Next Generation Clustered Heat Map (NGCHM).</i>
----------------	--

---

**Description**

Class representing a Covariate Bar on a Next Generation Clustered Heat Map (NGCHM).

---

ngchmCollectionInCollection	<i>Recursively determine if collection uuid is contained in collection A collecton always contains itself.</i>
-----------------------------	--

---

**Description**

Recursively determine if collection uuid is contained in collection A collecton always contains itself.

**Usage**

ngchmCollectionInCollection(collection, uuid)

**Arguments**

- |            |   |
|------------|---|
| collection | A list containing details of a collection |
| uuid       | A string containing the UUID to check     |

**Value**

TRUE iff collection contains uuid, otherwise FALSE

---

ngchmCollectionTree	Create a recursive description of a collection
---------------------	--

---

**Description**

Create a recursive description of a collection

**Usage**

ngchmCollectionTree(collection, depth = 0)

**Arguments**

- |            |   |
|------------|---|
| collection | A list containing details of a collection |
| depth      | The indentation depth to use              |

**Value**

a string vector describing the contents of the collection

---

ngchmColormap-class	Class representing a Color Map on a Next Generation Clustered Heat Map (NGCHM).
---------------------	---

---

**Description**

Class representing a Color Map on a Next Generation Clustered Heat Map (NGCHM).

---

ngchmCovariate-class	Class representing a Covariate attached to a Dataset
----------------------	--

---

**Description**

Class representing a Covariate attached to a Dataset

---

ngchmCreateServerProtocol

*Create and register an NGCHM server protocol implementation.*

---

## Description

This function creates and registers a protocol implementation for manipulating an NGCHM server.

## Usage

```
ngchmCreateServerProtocol(
  protocolName,
  chmFormat,
  requiredParams,
  optionalParams,
  paramValidator,
  findCollection,
  createCollection,
  installMethod,
  uninstallMethod,
  makePrivate,
  makePublic,
  setCredentials
)
```

## Arguments

protocolName	A single character string specifying the name of the protocol.
chmFormat	A single character string specifying the format of the heat map. Defaults to "original".
requiredParams	A character vector specifying the required parameters for the protocol, if any.
optionalParams	A character vector specifying the optional parameters for the protocol, if any.
paramValidator	A function(list) for validating the parameters specified for a new server.
findCollection	A function(server,collection,path) that finds a collection on the server.
createCollection	A function(server,collection,name) that creates a collection on the server.
installMethod	A function(server,chm) that installs a heat map on the server.
uninstallMethod	A function(server,chmname) that uninstalls a heat map from the server.
makePrivate	A function(server,chmname) that makes a heat map private on the server.
makePublic	A function(server,chmname) that makes a heat map public on the server.
setCredentials	A function(server,credentialstring) that sets the credentials for the server.

## Value

An object of class 'ngchmServerProtocol' representing the new server protocol.

---

ngchmCSS-class	<i>Class representing custom CSS for a Next Generation Clustered Heat Map (NGCHM).</i>
----------------	--

---

**Description**

Class representing custom CSS for a Next Generation Clustered Heat Map (NGCHM).

---

ngchmDataset-class	<i>Class representing a Dataset attached to a NGCHM</i>
--------------------	---

---

**Description**

Class representing a Dataset attached to a NGCHM

---

ngchmDialog-class	<i>Class representing an addon dialog</i>
-------------------	---

---

**Description**

Class representing an addon dialog

---

ngchmFindRepo	<i>Find a repository, if any, that contains the requested shaid</i>
---------------	---

---

**Description**

Find a repository, if any, that contains the requested shaid

**Usage**

```
ngchmFindRepo(shaid, required = TRUE)
```

**Arguments**

shaid	The shaid to search for
required	Abort if required and shaid not found in a known repo

**Value**

The first repository containing the shaid, otherwise NULL. The temporary repositories are searched before source repositories.

---

ngchmGetDataFileShaid	<i>Compute shaid for a data file</i>
-----------------------	--------------------------------------

---

**Description**

Compute shaid for a data file

**Usage**

```
ngchmGetDataFileShaid(format, filename)
```

**Arguments**

format	The format of the data file
filename	The filesystem path to the data file

**Value**

The shaid of the data file

---

ngchmGetEnv	<i>Get the ngchm environment (for debugging only).</i>
-------------	--

---

**Description**

Get the library's internal ngchm environment to help debugging.

**Usage**

```
ngchmGetEnv()
```

**Value**

A list representing the current environment for NG-CHM.

---

ngchmGetHandleHTTR	<i>Get a HTTR handle for the server's view/WS URL</i>
--------------------	---

---

**Description**

This function returns a 'handle' suitable for use with the server's view/WS URL

**Usage**

```
ngchmGetHandleHTTR(server)
```

**Arguments**

server	An object of class ngchmServer
--------	--------------------------------

**Value**

An HTTR handle

---

ngchmGetLabels	<i>Get the axis labels of a shaidy dataset or dendrogram</i>
----------------	--

---

**Description**

Get the axis labels of a shaidy dataset or dendrogram

**Usage**

```
ngchmGetLabels(shaid, axis = NULL)
```

**Arguments**

shaid	The shaid of the dataset or dendrogram to get the labels of
axis	For datasets, the axis of the labels to get

**Value**

a list of shaid containing the labels



---

ngchmGetLabelsStr	<i>Get the axis labels of a shaidy dataset or dendrogram</i>
-------------------	--

---

**Description**

Get the axis labels of a shaidy dataset or dendrogram

**Usage**

```
ngchmGetLabelsStr(shaid, axis = NULL)
```

**Arguments**

shaid	The shaid of the dataset or dendrogram to get the labels of
axis	For datasets, the axis of the labels to get

**Value**

A string vector containing the axis labels of the dataset or dendrogram

---

ngchmGetProtoParam	<i>Get Protocol Parameter for NG-CHM Server</i>
--------------------	---

---

**Description**

This function gets a protocol parameter for a specified NG-CHM (Next-Generation Clustered Heat Map) server.

**Usage**

```
ngchmGetProtoParam(server, option, default = NULL)
```

**Arguments**

server	An object of class 'ngchmServer' representing the server.
option	A single character string specifying the name of the protocol parameter.
default	An optional default value to return if the protocol parameter is not found. Defaults to NULL.

**Value**

The value of the protocol parameter if it is found, otherwise the specified default value.

---

`ngchmGetServerProtocol`*Get Server Protocol for NG-CHM*

---

**Description**

This function gets a server protocol for NG-CHM (Next-Generation Clustered Heat Map) by its name.

**Usage**

```
ngchmGetServerProtocol(protocolName)
```

**Arguments**

`protocolName`     A single character string specifying the name of the protocol.

**Value**

An object of class 'ngchmServerProtocol' representing the server protocol.

---

`ngchmInitShaidyRepository`*Initialize Shaidy Repository for NG-CHM*

---

**Description**

This function initializes a Shaidy repository for NG-CHM (Next-Generation Clustered Heat Map).

**Usage**

```
ngchmInitShaidyRepository(shaidyDir)
```

**Arguments**

`shaidyDir`     A single character string specifying the directory where the Shaidy repository will be initialized.

**Value**

None. This function is used for its side effects of initializing the Shaidy repository.

---

ngchmJS-class	<i>Class representing a custom Javascript function for a Next Generation Clustered Heat Map (NGCHM).</i>
---------------	--

---

**Description**

Class representing a custom Javascript function for a Next Generation Clustered Heat Map (NGCHM).

---

ngchmLayer-class	<i>Class representing a Layer on a Next Generation Clustered Heat Map (NGCHM).</i>
------------------	--

---

**Description**

Class representing a Layer on a Next Generation Clustered Heat Map (NGCHM).

---

ngchmListServerProtocols	<i>List defined server protocols</i>
--------------------------	--------------------------------------

---

**Description**

List defined server protocols

**Usage**

ngchmListServerProtocols()

**Value**

A character vector

---

ngchmLoadDatasetBlob    *Load a data matrix from a local shaidy repository*

---

### Description

Load a data matrix from a local shaidy repository

### Usage

```
ngchmLoadDatasetBlob(shaidyRepo, shaid, datatype)
```

### Arguments

shaidyRepo	The shaidy repository
shaid	The shaid of the dataset blob to load
datatype	Prototype of matrix data elements (defaults to 0.0)

### Value

a list containing details of the loaded dataset

---

ngchmMakeFormat.original  
    *Make an original format NGCHM.*

---

### Description

Make an original format NGCHM.

### Usage

```
ngchmMakeFormat.original(  
  chm,  
  server,  
  deleteOld = TRUE,  
  useJAR = NULL,  
  javaTraceLevel = NULL,  
  javaOptions = NULL,  
  buildArchive = NULL  
)
```

**Arguments**

chm	The original format CHM to compile.
server	The server for which to compile the NGCHM. Default <code>getOption("NGCHM.Server",chmListServers())</code> . Required iff <code>useJar</code> is not defined.
deleteOld	If TRUE, delete any old CHM of this name before beginning build. (Default is TRUE.)
useJAR	If defined, the location (filename) of the chmbuilder jar file. The package will not download a current jar file from the server. It is the caller's responsibility to ensure the builder jar file is compatible with the server on which the NGCHM will be installed. (Default is not defined.)
javaTraceLevel	Trace level option passed to the Java process. Default is <code>getOption("NGCHM.Java.Trace",'PROGRESS')</code> .
javaOptions	Additional options to pass to the Java process. Default is <code>getOption('NGCHM.Java.Options','Xmx2G')</code> .
buildArchive	If TRUE, build a tar archive of the generated NGCHM. Default is <code>getOption('NGCHM.Build.Archive',TRUE)</code> .

**Value**

The CHM

---

```
ngchmMakeFormat.shaidy
```

*Make a shaidy format NGCHM.*

---

**Description**

Make a shaidy format NGCHM.

**Usage**

```
ngchmMakeFormat.shaidy(chm)
```

**Arguments**

chm	The shaidy format CHM to compile.
-----	-----------------------------------

**Value**

The CHM

---

ngchmMatrixFunction-class	<i>Class representing a matrix function for Next Generation Clustered Heat Map (NGCHM).</i>
---------------------------	---

---

**Description**

Class representing a matrix function for Next Generation Clustered Heat Map (NGCHM).

---

ngchmMenuItem-class	<i>Class representing a Menu Item for a Next Generation Clustered Heat Map (NGCHM).</i>
---------------------	---

---

**Description**

Class representing a Menu Item for a Next Generation Clustered Heat Map (NGCHM).

---

ngchmMetaData-class	<i>Class representing meta data attached to an NG-CHM</i>
---------------------	---

---

**Description**

Class representing meta data attached to an NG-CHM

---

ngchmNewBar	<i>Create a new Classification Bar for a NGCHM</i>
-------------	--

---

**Description**

This function is deprecated and will be removed in a future version. Please use chmNewCovariateBar. This function creates a new Classification Bar suitable for adding to a Next Generation Clustered Heat Map.

**Usage**

```

ngchmNewBar(
  label,
  type,
  data,
  colors = NULL,
  display = "visible",
  thickness = as.integer(10),
  merge,
  barType,
  loBound,
  hiBound,
  fgColor,
  bgColor
)

```

**Arguments**

label	The name by which the classification bar will be known.
type	The string "discrete" or the string "continuous".
data	A vector of the data to be displayed in the classification bar. names(data) must be defined.
colors	A color map specifying how the data should be rendered.
display	Whether the classification bar will be "hidden" or "visible" (default).
thickness	The thickness of the classification bar in pixels. (Default 10).
merge	Algorithm for merging classifications when necessary ("average", "peakColor", "specialColor", or "mostCommon").
barType	Type of covariate bar ("color_plot", "scatter_plot", "bar_plot"). Default "color_plot".
loBound	Low bound for bar and scatter plots. Default minimum data value.
hiBound	High bound for bar and scatter plots. Default maximum data value.
fgColor	Foreground color for bar and scatter plots. Default black.
bgColor	Background color for bar and scatter plots. Default white.

**Value**

An object of class ngchmBar

**See Also**

[ngchmBar](#)  
[chmNewColorMap\(\)](#)  
[chmNewCovariateBar\(\)](#)  
[chmAddCovariateBar\(\)](#)

---

ngchmNewCollection	Create a new collection in a local shaidy repository
--------------------	--

---

**Description**

Create a new collection in a local shaidy repository

**Usage**

```
ngchmNewCollection(shaidyRepo, labels = data.frame())
```

**Arguments**

- shaidyRepo      The shaidy repository
- labels          Initial labels for collection (a data.frame of (Name,Value) tuples)

**Value**

a string containing the UUID of the newly created repository

---

ngchmOverview-class	Class representing an overview of a Next Generation Clustered Heat Map (NGCHM).
---------------------	---

---

**Description**

Class representing an overview of a Next Generation Clustered Heat Map (NGCHM).

---

ngchmProperty-class	Class representing a Generic Property for a Next Generation Clustered Heat Map (NGCHM).
---------------------	---

---

**Description**

Class representing a Generic Property for a Next Generation Clustered Heat Map (NGCHM).



---

ngchmProtoParamCheck	<i>Check Protocol Parameters for NG-CHM</i>
----------------------	---

---

**Description**

Check that all required parameters are specified, and all specified parameters are either required or optional.

**Usage**

```
ngchmProtoParamCheck(params, required, optional)
```

**Arguments**

params	A list of parameters to be checked.
required	A character vector specifying the required parameters.
optional	A character vector specifying the optional parameters.

**Value**

None. This function is used for its side effects of checking the parameters and potentially stopping execution with an error message.

---

ngchmPushSourceRepository	<i>Push a local shaidy repository onto the stack of source repositories</i>
---------------------------	---

---

**Description**

This function pushes a source repository for NG-CHM (Next-Generation Clustered Heat Map) onto the Shaidy stack.

**Usage**

```
ngchmPushSourceRepository(shaidyDir, accessMethod = "file")
```

**Arguments**

shaidyDir	A single character string specifying the directory of the source repository.
accessMethod	A single character string specifying the access method for the source repository. Defaults to "file".

**Value**

None. This function is used for its side effects of pushing the source repository onto the Shaidy stack.

---

ngchmPushSourceServer    *Push a shaidy server onto the stack of source repositories*

---

### Description

This function pushes a source server for NG-CHM (Next-Generation Clustered Heat Map) onto the Shaidy stack.

### Usage

```
ngchmPushSourceServer(server)
```

### Arguments

server	An object of class 'ngchmServer' or a single character string specifying the name of the server.
--------	--

### Value

None. This function is used for its side effects of pushing the source server onto the Shaidy stack.

### See Also

[chmLoadShaidyCHM\(\)](#)  
[chmCreateServer\(\)](#)

---

ngchmPushTempRepository  
                                   *Push Temporary Repository for NG-CHM*

---

### Description

This function pushes a temporary repository for NG-CHM (Next-Generation Clustered Heat Map) onto the Shaidy stack.

### Usage

```
ngchmPushTempRepository(shaidyDir)
```

### Arguments

shaidyDir	A single character string specifying the directory of the temporary repository.
-----------	---

### Value

None. This function is used for its side effects of pushing the temporary repository onto the Shaidy stack.

---

ngchmRegisterServer	<i>Register an ngchmServer.</i>
---------------------	---------------------------------

---

**Description**

This function registers an ngchmServer that can be used when making and installing a Next Generation Clustered Heat Map.

**Usage**

ngchmRegisterServer(uuid, server)

**Arguments**

- |        |  |
|--------|--|
| uuid   | A string that identifies the server namespace. |
| server | The ngchmServer to register.                   |

**Value**

the server that was registered

**See Also**

- [chmInstall\(\)](#)
- [chmUninstall\(\)](#)
- [ngchmUnregisterServer\(\)](#)
- [ngchmServer](#)

---

ngchmRelated-class	<i>Class representing a link related to a NGCHM</i>
--------------------	---

---

**Description**

Class representing a link related to a NGCHM

---

ngchmRelatedGroup-class	<i>Class representing a group of related links to a NGCHM</i>
-------------------------	---

---

**Description**

Class representing a group of related links to a NGCHM

---

ngchmRenderChm	<i>Render a shaidy NGCHM</i>
----------------	------------------------------

---

**Description**

Render a shaidy NGCHM

**Usage**

```
ngchmRenderChm(repo, shaid)
```

**Arguments**

repo	The repository containing the chm
shaid	The shaid of the chm to render

**Value**

Nothing

---

ngchmResponseJSON	<i>Return response content interpreted as JSON</i>
-------------------	--

---

**Description**

Return response content interpreted as JSON

**Usage**

```
ngchmResponseJSON(httrResponse)
```

**Arguments**

httrResponse	The httr response object
--------------	--------------------------

**Value**

The response parsed as JSON and returned as an R object

---

ngchmRowCenter	<i>Row center a shaidy dataset</i>
----------------	------------------------------------

---

**Description**

Row center a shaidy dataset

**Usage**

ngchmRowCenter(shaidyRepo, shaid)

**Arguments**

- |            |  |
|------------|--|
| shaidyRepo | The shaidy repository                  |
| shaid      | The shaid of the dataset to row center |

**Value**

A list of shaid for the row centered dataset

---

ngchmSaveAsDatasetBlob	<i>Save a numeric matrix as a blob in a shaidy repository</i>
------------------------	---

---

**Description**

Save a numeric matrix as a blob in a shaidy repository

**Usage**

ngchmSaveAsDatasetBlob(shaidyRepo, format, mat)

**Arguments**

- |            |  |
|------------|--|
| shaidyRepo | The shaidy repository                  |
| format     | The format in which to save the matrix |
| mat        | The data matrix                        |

**Value**

The shaid of the saved blob

---

ngchmSaveAsDendrogramBlob	<i>Save a dendrogram as a blob in a shaidy repository</i>
---------------------------	---

---

**Description**

Save a dendrogram as a blob in a shaidy repository

**Usage**

ngchmSaveAsDendrogramBlob(shaidyRepo, ddg)

**Arguments**

shaidyRepo	The shaidy repository
ddg	The dendrogram

**Value**

The shaid of the saved blob

---

ngchmSaveChmAsBlob	<i>Save an NGCHM as a shaidy blob</i>
--------------------	---------------------------------------

---

**Description**

Save an NGCHM as a shaidy blob

**Usage**

ngchmSaveChmAsBlob(shaidyRepo, chm)

**Arguments**

shaidyRepo	The shaidy repository to write to
chm	The NGCHM to write

**Value**

The shaid of the saved NGCHM

---

ngchmServer-class	<i>Class representing a Next Generation Clustered Heat Map (NGCHM) server.</i>
-------------------	--

---

**Description**

Class representing a Next Generation Clustered Heat Map (NGCHM) server.

---

ngchmServerProtocol-class	<i>Class representing a deployment method for a Next Generation Clustered Heat Map (NGCHM) server.</i>
---------------------------	--

---

**Description**

Class representing a deployment method for a Next Generation Clustered Heat Map (NGCHM) server.

---

ngchmTemplate-class	<i>Class representing a Template attached to a NGCHM</i>
---------------------	--

---

**Description**

Class representing a Template attached to a NGCHM

---

ngchmTileDataset	<i>Get the tiles for a shaidy dataset</i>
------------------	---

---

**Description**

Get the tiles for a shaidy dataset

**Usage**

ngchmTileDataset(repo, dataset, rowOrder, colOrder)

**Arguments**

- |          |   |
|----------|---|
| repo     | The shaidy repository in which to create the tile |
| dataset  | The shaid of the dataset to tile                  |
| rowOrder | The row order of the tiles                        |
| colOrder | The column order of the tiles                     |

**Value**

a list of shaids containing the tiles

---

ngchmTypeMapper-class	<i>Class representing a type mapper function for Next Generation Clustered Heat Map (NGCHM).</i>
-----------------------	--

---

**Description**

Class representing a type mapper function for Next Generation Clustered Heat Map (NGCHM).

---

ngchmUnregisterServer	<i>Unregister NG-CHM Server</i>
-----------------------	---------------------------------

---

**Description**

This function unregisters a server for NG-CHM (Next-Generation Clustered Heat Map) by its UUID and optionally by its name.

**Usage**

```
ngchmUnregisterServer(uuid, name = NULL)
```

**Arguments**

uuid	A single character string specifying the UUID of the server.
name	The names(s) of the ngchmServer(s) to unregister. If not specified, all ngchm-Servers in the namespace are unregistered. Defaults to NULL.

**Value**

None. This function is used for its side effects of unregistering the server.

**See Also**

[ngchmRegisterServer\(\)](#)  
[ngchmServer](#)

---

ngchmValueProp-class	<i>Class representing the properties of a data point in a Next Generation Clustered Heat Map (NGCHM).</i>
----------------------	---

---

**Description**

Class representing the properties of a data point in a Next Generation Clustered Heat Map (NGCHM).



---

ngchmVersion2-class     *Class representing ngchmVersion2 object*


---

## Description

Class representing ngchmVersion2 object

## Slots

name The name under which the NGCHM will be saved to the NGCHM server.  
version Integer version number (default: 2)  
format (default: "original")  
uuid character  
baggage optCharacter  
inpDir character  
outDir character  
saveDir (default: tempdir())  
propFile (default: "chm.properties")  
layers List of data layers  
colormaps Color map  
rowMenu optList  
colMenu optList  
datasets optList  
dialogs optList  
tags optCharacter  
elementMenu optList  
rowTypeFunctions optList  
colTypeFunctions optList  
elementTypeFunctions optList  
axisTypes optList  
css optList  
extrafiles optCharacter  
extrascripts optCharacter  
properties optList  
overviews optList  
javascript optList  
rowOrder A vector, dendrogram, or function specifying the CHM row order

`rowDist` Distance method to use by default RowOrder. (default: "correlation", which is 1 minus the Pearson correlation among the rows.)  
`rowAgglom` Agglomeration method to use by default RowOrder. Choices are those from `stats::hclust`. (default: "ward.D2")  
`colOrder` A vector, dendrogram, or function specifying the CHM column order.  
`colDist` Distance method to use by default ColOrder. (default: "correlation", which is 1 minus the Pearson correlation among the cols.)  
`colAgglom` Agglomeration method to use by default ColOrder. Choices are those from `stats::hclust`. (default: "ward.D2")  
`rowOrderMethod` character (default: "User")  
`colOrderMethod` character (default: "User")  
`rowCutLocations` Explicit list of row cut locations. If specified, `rowTreeCuts` is set to NULL.  
`rowTreeCuts` Number of tree cuts for row. If specified, `rowCutLocations` is set to NULL.  
`rowCutWidth` Width of row cuts (default: 5 rows)  
`rowTopItems` optCharacter  
`rowDisplayLength` optInteger  
`rowDisplayAbbreviation` optCharacter  
`colCutLocations` Explicit list of col cut locations. If specified, `colTreeCuts` is set to NULL.  
`colTreeCuts` Number of tree cuts for col. If specified, `colCutLocations` is set to NULL.  
`colCutWidth` Width of col cuts (default: 5 columns)  
`colTopItems` optCharacter  
`colDisplayLength` optInteger  
`colDisplayAbbreviation` optCharacter  
`rowMeta` optList  
`colMeta` optList  
`rowCovariateBars` optList  
`colCovariateBars` optList  
`relatedLinks` optList  
`relatedGroups` optList  
`templates` optList  
`width` default: 500  
`height` default: 500

---

optDendrogram-class      *Optional Dendrogram*

---

## Description

Optional Dendrogram

---

plot.ngchmVersion2	<i>Open the NG-CHM on the specified server in the viewer.</i>
--------------------	---

---

**Description**

Open the NG-CHM on the specified server in the viewer.

**Usage**

```
## S3 method for class 'ngchmVersion2'  
plot(x, server = NULL, viewer = NULL, ...)
```

**Arguments**

x	The NGCHM to view.
server	The server containing the NG-CHM. Defaults to option "NGCHM.Server" or the first server.
viewer	The viewer to use. Defaults to option "viewer" or browseURL.
...	Ignored.

**Value**

No return value. The function is called for its side effect of plotting the specified NG-CHM.

---

print.ngchm.type.info	<i>Pretty Print NGCHM Type Information</i>
-----------------------	--

---

**Description**

This function takes an object of class 'ngchm.type.info' and returns a formatted string that provides a detailed description of the NGCHM type.

**Usage**

```
## S3 method for class 'ngchm.type.info'  
print(x, ...)
```

**Arguments**

x	An object of class 'ngchm.type.info' as returned by chmGetTypeInfo.
...	Additional arguments (not used).

**Value**

A string that provides a detailed description of the NGCHM type.

See Also

[chmGetTypeInfo\(\)](#)

---

<code>print.shaidyRepo</code>	<i>Print a shaidy repository</i>
-------------------------------	----------------------------------

---

Description

Print a shaidy repository

Usage

```
## S3 method for class 'shaidyRepo'
print(x, ...)
```

Arguments

<code>x</code>	The shaidy repository to print
<code>...</code>	Unused extra parameters

Value

The shaidy repository

---

<code>shaid-class</code>	<i>Class representing the shaid of an object</i>
--------------------------	--

---

Description

Class representing the shaid of an object

---

shaidyAddFileBlob	<i>Add data file(s) and properties to a local shaidy repository</i>
-------------------	---

---

**Description**

Add data file(s) and properties to a local shaidy repository

**Usage**

```
shaidyAddFileBlob(  
    shaidyRepo,  
    blob.type,  
    blob.file,  
    filename,  
    properties = NULL,  
    shaid = NULL  
)
```

**Arguments**

shaidyRepo	The shaidy repository
blob.type	The blob.type of the data file
blob.file	Name of the file(s) within the blob
filename	The filesystem path(s) to the file(s) to insert
properties	A list of additional properties to save with the file(s)
shaid	Shaid to store the blob as.

**Value**

The file's shaid

---

shaidyBlobExists	<i>Determine if one more blobs exist in a shaidy repository</i>
------------------	---

---

**Description**

Determine if one more blobs exist in a shaidy repository

**Usage**

```
shaidyBlobExists(repo, shaid)
```

**Arguments**

repo	The shaidy repository
shaids	A shaid or list of shaids

**Value**

a boolean vector

---

shaidyCopyBlob	<i>Copy a blob from one repository to another</i>
----------------	---

---

**Description**

Copy a blob from one repository to another

**Usage**

```
shaidyCopyBlob(src, shaid, dst)
```

**Arguments**

src	The source repository
shaid	The shaid of the blob to copy
dst	The destination repository

**Value**

the shaid

---

shaidyCreateProtoBlob	<i>Create a prototype blob in a shaidy repository</i>
-----------------------	---

---

**Description**

Create a prototype blob in a shaidy repository

**Usage**

```
shaidyCreateProtoBlob(shaidyRepo, blob.type)
```

**Arguments**

shaidyRepo	The shaidy repository
blob.type	The blob.type of the prototype blob

**Value**

The file path of the prototype blob

---

shaidyFinalizeProtoBlob
<i>Finalize a prototype blob</i>

---

**Description**

Finalize a prototype blob

**Usage**

shaidyFinalizeProtoBlob(shaidyRepo, shaid, protoblob)

**Arguments**

- |            |                                   |
|------------|-----------------------------------|
| shaidyRepo | The shaidy repository             |
| shaid      | The shaid to assign the protoblob |
| protoblob  | The prototype blob to finalize    |

**Value**

The shaid (invisibly)

The protoblob must have been created in the specified shaidy repository and with the same blob type as the shaid. When this function returns the protoblob will no longer be accessible . If a blob with the same shaid already exists in this repository, the protoblob is quietly removed without affecting the existing blob.

---

shaidyFindRepo	<i>Find the first repository, if any, that contains the requested shaid</i>
----------------	---

---

**Description**

Find the first repository, if any, that contains the requested shaid

**Usage**

shaidyFindRepo(repos, shaid)

**Arguments**

- |       |                                    |
|-------|------------------------------------|
| repos | The list of repositories to search |
| shaid | The shaid to search for            |

**Value**

The first repository containing the shaid, otherwise NULL

---

shaidyGetComponents	<i>Get an object's component shaid</i>
---------------------	--

---

**Description**

Get an object's component shaid

**Usage**

```
shaidyGetComponents(object)

## S4 method for signature 'ngchm'
shaidyGetComponents(object)

## S4 method for signature 'ngchmDataset'
shaidyGetComponents(object)

## S4 method for signature 'ngchmCovariate'
shaidyGetComponents(object)
```

**Arguments**

object	The object, such as a chm, dataset, etc., for which to get the component shaid
--------	--

**Value**

A list of shaid.

---

shaidyGetShaid	<i>Get shaid for an object</i>
----------------	--------------------------------

---

**Description**

Get shaid for an object

**Usage**

```
shaidyGetShaid(object)

## S4 method for signature 'ngchm'
shaidyGetShaid(object)
```

**Arguments**

object	The object, such as a chm, dataset, etc., for which to get the shaid
--------	--



**Value**

The shaid of the object.

---

shaidyHashProtoBlob	<i>Compute the shaid to assign a protoblob</i>
---------------------	--

---

**Description**

Compute the shaid to assign a protoblob

**Usage**

shaidyHashProtoBlob(blob.type, protoblob)

**Arguments**

- |           |                                     |
|-----------|-------------------------------------|
| blob.type | The blob.type of the prototype blob |
| protoblob | The prototype blob                  |

**Value**

The shaid to assign the protoblob

---

shaidyInitRepository	<i>Create and initialize Shaidy Repository</i>
----------------------	--

---

**Description**

This function initializes a Shaidy repository in a specified directory with specified blob types.

**Usage**

shaidyInitRepository(shaidyDir, blob.types)

**Arguments**

- |            |   |
|------------|---|
| shaidyDir  | A single character string specifying the directory where the Shaidy repository will be initialized. |
| blob.types | A character vector specifying the blob types for the Shaidy repository.                             |

**Value**

None. This function is used for its side effects of initializing the Shaidy repository.

shaidyLoadProvenanceDB

*Load the provid -> shaid DB for a local shaidy repository*

---

**Description**

Load the provid -> shaid DB for a local shaidy repository

**Usage**

shaidyLoadProvenanceDB(shaidyDir)

**Arguments**

shaidyDir      Basepath to a local shaidy repository.

**Value**

A shaidyProvenanceDB

---

shaidyLoadProvidDB

*Load the provid -> labels DB for a local shaidy repository.*

---

**Description**

Load the provid -> labels DB for a local shaidy repository.

**Usage**

shaidyLoadProvidDB(shaidyDir)

**Arguments**

shaidyDir      Basepath to a local shaidy repository.

**Value**

A shaidyProvidDB

---

shaidyLoadRepository	<i>Load a shaidy repository</i>
----------------------	---------------------------------

---

**Description**

Load a shaidy repository

**Usage**

```
shaidyLoadRepository(accessMethod, shaidyDir)
```

**Arguments**

accessMethod	Method for accessing repository.
shaidyDir	Basepath to shaidy repository.

**Value**

A shaidyRepo

---

shaidyNewCache	<i>Create in memory shaid cache</i>
----------------	-------------------------------------

---

**Description**

Create in memory shaid cache

**Usage**

```
shaidyNewCache(shaidyDir)
```

**Arguments**

shaidyDir	Basepath to a local shaidy repository.
-----------	--

**Value**

An in memory shaid cache

---

shaidyProvenance	Create a provid from a list of label values
------------------	---

---

**Description**

Create a provid from a list of label values

**Usage**

```
shaidyProvenance(...)
```

**Arguments**

...                    shaidyRepo followed by a list of name=value labels to store in the provid

**Value**

A string containing the provid for the list of label values.

---

shaidyRepoAPI	Get the methods for the repository API called api
---------------	---

---

**Description**

Get the methods for the repository API called api

**Usage**

```
shaidyRepoAPI(api)
```

**Arguments**

api                    The name of a repository API

**Value**

A list of repository methods

---

treeCuts-class	<i>Helper class for setting row/col gap locations as tree cuts</i>
----------------	--

---

**Description**

This class is to facilitate specification of row/col gaps in [chmNew\(\)](#). Note: user-facing function use the term 'gap', while internal functions that interact with java programs in the NGCHM viewer project use the term 'cut'.

**Slots**

numberOfCuts Integer number of cuts

**See Also**

[chmNew\(\)](#)

[chmTreeGaps\(\)](#)

---

verifyNumeric	<i>Helper function to verify if variable is numeric.</i>
---------------	--

---

**Description**

If not numeric, print error message and stop.

**Usage**

```
verifyNumeric(variableToCheck)
```

**Arguments**

variableToCheck  
The variable to check for being numeric.

**Value**

TRUE

---

\$.shaidyRepo	<i>Provide a simpler method for accessing repo methods</i>
---------------	--

---

**Description**

Provide a simpler method for accessing repo methods

**Usage**

```
## S3 method for class 'shaidyRepo'  
repo$method
```

**Arguments**

- |        |   |
|--------|---|
| repo   | The repository to obtain the method for |
| method | The name of the method to obtain        |

**Value**

A function that calls the method with the repository as its first parameter

# Index

## \* classes

- ngchm-class, [94](#)
- ngchmAxis-class, [98](#)
- ngchmAxisFunction-class, [98](#)
- ngchmAxisType-class, [99](#)
- ngchmBar-class, [99](#)
- ngchmColormap-class, [100](#)
- ngchmCovariate-class, [100](#)
- ngchmCSS-class, [102](#)
- ngchmDataset-class, [102](#)
- ngchmDialog-class, [102](#)
- ngchmJS-class, [107](#)
- ngchmLayer-class, [107](#)
- ngchmMatrixFunction-class, [110](#)
- ngchmMenuItem-class, [110](#)
- ngchmMetaData-class, [110](#)
- ngchmOverview-class, [112](#)
- ngchmProperty-class, [112](#)
- ngchmRelated-class, [115](#)
- ngchmRelatedGroup-class, [115](#)
- ngchmServer-class, [119](#)
- ngchmServerProtocol-class, [119](#)
- ngchmTemplate-class, [119](#)
- ngchmTypeMapper-class, [120](#)
- ngchmValueProp-class, [120](#)

## \* shaid

- shaid-class, [124](#)

+, [6](#)

+, ngchmVersion2, ngchmAxis-method (+), [6](#)

\$.shaidyRepo, [134](#)

castAsInteger, [6](#)

castListAsInteger, [7](#)

chmAdd, [7](#)

chmAdd(), [29](#), [65](#), [72](#), [76](#), [94](#), [95](#)

chmAdd, ngchm-method (chmAdd), [7](#)

chmAddAxisType, [8](#)

chmAddAxisType(), [58](#), [65](#), [79–81](#), [84](#), [95](#)

chmAddAxisType, ngchm, character, character, character-method (chmAddAxisType), [8](#)

chmAddAxisType, ngchm, character, character, missing-method (chmAddAxisType), [8](#)

chmAddAxisType, ngchm, character, character, ngchmJS-method (chmAddAxisType), [8](#)

chmAddColormap, [9](#)

chmAddColormap, ngchm, ngchmColormap-method (chmAddColormap), [9](#)

chmAddCovariate, [10](#)

chmAddCovariate(), [68](#)

chmAddCovariate, ngchmDataset, character, ngchmCovariate-method (chmAddCovariate), [10](#)

chmAddCovariateBar, [10](#)

chmAddCovariateBar(), [65](#), [69](#), [94](#), [95](#), [111](#)

chmAddCovariateBar, ngchm, character, list-method (chmAddCovariateBar), [10](#)

chmAddCovariateBar, ngchm, character, ngchmBar-method (chmAddCovariateBar), [10](#)

chmAddCovariateBar, ngchm, character, ngchmCovariate-method (chmAddCovariateBar), [10](#)

chmAddCovariateBar, ngchm, character, ngchmCovariateBar-method (chmAddCovariateBar), [10](#)

chmAddCSS, [11](#)

chmAddCSS, ngchm, character, character-method (chmAddCSS), [11](#)

chmAddCSS, ngchm, character-method (chmAddCSS), [11](#)

chmAddDataset, [12](#)

chmAddDataset(), [71](#), [95](#)

chmAddDataset, ngchm, ngchmDataset-method (chmAddDataset), [12](#)

chmAddDialog, [13](#)

chmAddDialog(), [72](#)

chmAddDialog, ngchm, ngchmDialog-method (chmAddDialog), [13](#)

chmAddLayer, [13](#)

chmAddLayer(), [70](#), [94](#), [95](#)

chmAddLayer, ngchm, matrix-method (chmAddLayer), [13](#)

chmAddLayer, ngchm, ngchmLayer-method

- (chmAddLayer), 13
- chmAddMenuItem, 14
- chmAddMenuItem(), 49, 57, 73, 80
- chmAddMenuItem, ngchm, character, character, character-method  
(chmAddMenuItem), 14
- chmAddMenuItem, ngchm, character, character, ngchmJS-method  
(chmAddMenuItem), 14
- chmAddMetaData, 15
- chmAddMetaData, ngchm, character, character, character-method  
(chmAddMetaData), 15
- chmAddOverview, 16
- chmAddOverview(), 65
- chmAddOverview, ngchm, character, numeric, numeric-method  
(chmAddOverview), 16
- chmAddOverview, ngchm, character, optNumeric, optNumeric-method  
(chmAddOverview), 16
- chmAddPCA, 16
- chmAddPCA(), 19, 26–28
- chmAddProperty, 18
- chmAddProperty(), 65, 73
- chmAddProperty, ngchm, character, character-method  
(chmAddProperty), 18
- chmAddReducedDim, 18
- chmAddReducedDim(), 17, 26–28, 92
- chmAddRelated, 20
- chmAddRelated, ngchm, character, character, character-method  
(chmAddRelated), 20
- chmAddRelatedGroup, 21
- chmAddRelatedGroup, ngchm, character, character, character-method  
(chmAddRelatedGroup), 21
- chmAddRelatedGroup, ngchm, character, character, character-method  
(chmAddRelatedGroup), 21
- chmAddSpecificAxisTypeFunction, 21
- chmAddSpecificAxisTypeFunction, ngchm, character, character-method  
(chmAddSpecificAxisTypeFunction), 21
- chmAddSpecificAxisTypeFunction, ngchm, character, character, ngchmJS-method  
(chmAddSpecificAxisTypeFunction), 21
- chmAddTag, 22
- chmAddTag, ngchm, character, character-method  
(chmAddTag), 22
- chmAddTag, ngchm, character-method  
(chmAddTag), 22
- chmAddTemplate, 23
- chmAddTemplate, ngchm, charOrFunction, character, character-method  
(chmAddTemplate), 23
- chmAddToolboxR, 23
- chmAddToolboxR, ngchm, character, character, character, character-method  
(chmAddToolboxR), 23
- chmAddToolboxR2, 24
- chmAddToolboxR2, ngchm, character, character, character-method  
(chmAddToolboxR2), 24
- chmAddToolboxRC, 25
- chmAddToolboxRC, ngchm, character, character, character, character-method  
(chmAddToolboxRC), 25
- chmAddToolboxRC, ngchm, character, character, character-method  
(chmAddToolboxRC), 25
- chmAddTSNE, 25
- chmAddTSNE(), 17, 19, 27, 28
- chmAddUMAP, 27
- chmAddUMAP(), 17, 19, 26, 28
- chmAddUWOT, 28
- chmAddUWOT(), 17, 19, 26, 27
- chmAxis, 29
- chmAxis(), 30, 98
- chmAxisType, 30
- chmBindFunction, 30
- chmBindFunction(), 73
- chmBindFunction, character, character, list-method  
(chmBindFunction), 30
- chmBindFunction, character, ngchmJS, list-method  
(chmBindFunction), 30
- chmBreak, 31
- chmColOrder<-, 32
- chmColOrder<-, ngchm, optDendrogram-method  
(chmColOrder<-), 32
- chmColorMap, 32, 34
- chmColorMap, missing-method
- chmColors, 34, 35
- chmColors<-, 35
- chmCovariate, 36
- chmCovariate, character, character, character-method  
chmCovariateBar, 37
- chmCreateCollection, 38
- chmCreateCollection, ngchm, ngchmJS-method
- chmCreateServer, 40
- chmCreateServer(), 40, 114
- chmCurrentCollection, 41
- chmCurrentCollection(), 39, 86
- chmCurrentServer, 42
- chmDefaultColOrder, 42
- chmDefaultRowOrder, 43
- chmDeployServer, 43
- chmDeployServer, ngchmServer-method  
(chmDeployServer), 43
- chmExportToFile, 44



- chmExportToFile(), [65](#), [94](#), [95](#)
- chmExportToHTML, [45](#)
- chmExportToHTML(), [65](#)
- chmExportToPDF, [46](#)
- chmExportToPDF(), [65](#), [94](#)
- chmFieldAccessFunction, [47](#)
- chmFieldAccessFunction(), [88](#)
- chmGetDataset, [48](#)
- chmGetDataset, ngchmLayer-method  
(chmGetDataset), [48](#)
- chmGetDeployServerConfig, [48](#)
- chmGetFunction, [49](#)
- chmGetFunction(), [47](#), [57](#), [80](#), [84](#), [88](#), [95](#)
- chmGetOverview, [49](#)
- chmGetProperty, [50](#)
- chmGetProperty, ngchmVersion2, character-method  
(chmGetProperty), [50](#)
- chmGetProperty, ngchmVersion2-method  
(chmGetProperty), [50](#)
- chmGetTypeInfo, [51](#)
- chmGetTypeInfo(), [83](#), [124](#)
- chmGetURL, [51](#)
- chmGetURL, character-method (chmGetURL),  
[51](#)
- chmGetURL, ngchm-method (chmGetURL), [51](#)
- chmHasProperty, [52](#)
- chmHasProperty, ngchmVersion2, character-method  
(chmHasProperty), [52](#)
- chmHasProperty, ngchmVersion2-method  
(chmHasProperty), [52](#)
- chmInstall, [53](#)
- chmInstall(), [60–62](#), [65](#), [74](#), [86](#), [90](#), [94](#), [95](#),  
[115](#)
- chmInstall, ngchm-method (chmInstall), [53](#)
- chmLabel, [53](#), [54](#)
- chmLabel<-, [54](#)
- chmLayer, [55](#)
- chmLayer<-, [56](#)
- chmListFunctions, [57](#)
- chmListFunctions(), [80](#), [84](#), [95](#)
- chmListServers, [58](#)
- chmListServers(), [42](#), [86](#)
- chmListTypes, [58](#)
- chmListTypes(), [9](#), [22](#), [51](#), [83](#)
- chmLoadCHM, [59](#)
- chmLoadCHM, character, character-method  
(chmLoadCHM), [59](#)
- chmLoadCHM, character, missing-method  
(chmLoadCHM), [59](#)
- chmLoadCHM, ngchmServer, character-method  
(chmLoadCHM), [59](#)
- chmLoadShaidyCHM, [59](#)
- chmLoadShaidyCHM(), [114](#)
- chmMake, [60](#)
- chmMake, ngchm-method (chmMake), [60](#)
- chmMakePrivate, [61](#)
- chmMakePrivate(), [53](#), [62](#)
- chmMakePrivate, character, character-method  
(chmMakePrivate), [61](#)
- chmMakePrivate, character, ngchm-method  
(chmMakePrivate), [61](#)
- chmMakePrivate, ngchmServer, character-method  
(chmMakePrivate), [61](#)
- chmMakePrivate, ngchmServer, ngchm-method  
(chmMakePrivate), [61](#)
- chmMakePublic, [62](#)
- chmMakePublic(), [53](#), [61](#)
- chmMakePublic, character, character-method  
(chmMakePublic), [62](#)
- chmMakePublic, character, ngchm-method  
(chmMakePublic), [62](#)
- chmMakePublic, ngchmServer, character-method  
(chmMakePublic), [62](#)
- chmMakePublic, ngchmServer, ngchm-method  
(chmMakePublic), [62](#)
- chmManager, [63](#)
- chmName, [63](#)
- chmName, ngchm-method (chmName), [63](#)
- chmNew, [64](#)
- chmNew(), [60](#), [89](#), [94](#), [95](#), [133](#)
- chmNewColorMap, [33](#), [66](#)
- chmNewColorMap(), [9](#), [68–70](#), [111](#)
- chmNewCovariate, [67](#)
- chmNewCovariate(), [10](#), [11](#)
- chmNewCovariateBar, [68](#)
- chmNewCovariateBar(), [11](#), [67](#), [111](#)
- chmNewDataLayer, [69](#)
- chmNewDataLayer(), [14](#), [67](#)
- chmNewDataset, [70](#)
- chmNewDataset(), [13](#)
- chmNewDialog, [71](#)
- chmNewDialog(), [13](#)
- chmNewFunction, [72](#)
- chmNewFunction(), [31](#), [49](#), [79–82](#), [84](#)
- chmNewProperty, [73](#)
- chmNewServer, [74](#)

- chmOriginalColOrder, [75](#)
- chmOriginalRowOrder, [75](#)
- chmProperties, [76](#)
- chmProperty, [76](#)
- chmProperty<-, [77](#)
- chmRandomColOrder, [78](#)
- chmRandomRowOrder, [78](#)
- chmRegisterAxisFunction, [79](#)
- chmRegisterAxisFunction(), [9](#), [81](#), [84](#)
- chmRegisterFunction, [79](#)
- chmRegisterFunction(), [57](#), [73](#)
- chmRegisterGetMetadataFunction, [80](#)
- chmRegisterMatrixFunction, [81](#)
- chmRegisterMatrixFunction(), [9](#), [79](#), [84](#)
- chmRegisterToolboxFunction, [82](#)
- chmRegisterType, [82](#)
- chmRegisterType(), [51](#)
- chmRegisterTypeMapper, [83](#)
- chmRegisterTypeMapper(), [9](#), [79](#), [81](#), [83](#), [84](#)
- chmRegisterTypeSplitter, [84](#)
- chmRowOrder<-, [85](#)
- chmRowOrder<-, ngchm, optDendrogram-method  
(chmRowOrder<-), [85](#)
- chmServer, [85](#)
- chmServer(), [40–42](#), [86](#)
- chmSetCollection, [86](#)
- chmSetCollection(), [41](#), [42](#), [94](#)
- chmSetCredentials, [87](#)
- chmSetCredentials, character, character-method  
(chmSetCredentials), [87](#)
- chmSetCredentials, ngchmServer, character-method  
(chmSetCredentials), [87](#)
- chmSetDeployServerConfig, [87](#)
- chmStringopFunction, [88](#)
- chmStringopFunction(), [47](#)
- chmTreeGaps, [89](#)
- chmTreeGaps(), [65](#), [133](#)
- chmUninstall, [89](#)
- chmUninstall(), [53](#), [61](#), [62](#), [74](#), [86](#), [115](#)
- chmUninstall, character-method  
(chmUninstall), [89](#)
- chmUninstall, ngchm-method  
(chmUninstall), [89](#)
- chmUrlBase, [90](#)
- chmUrlBase, ngchmServer-method  
(chmUrlBase), [90](#)
- chmWriteCustomJS, [91](#)
- getDimensions, [91](#)
- getDimensions(), [19](#)
- getDimensions, prcomp (getDimensions), [91](#)
- getDimensions, Seurat (getDimensions), [91](#)
- getDimensions, umap (getDimensions), [91](#)
- getDimensions.default (getDimensions),  
[91](#)
- getDimensions.prcomp (getDimensions), [91](#)
- getDimensions.Seurat (getDimensions), [91](#)
- getDimensions.umap (getDimensions), [91](#)
- gitHashObject, [92](#)
- grep(), [57](#)
- initLogging, [92](#)
- NGCHM, [93](#)
- ngchm, [34](#), [52–54](#), [60–62](#), [64](#), [65](#), [73](#), [77](#), [78](#),  
[90](#), [94](#)
- ngchm-class, [94](#)
- NGCHM-functions, [95](#)
- NGCHM-initialization, [95](#)
- NGCHM-package (NGCHM), [93](#)
- ngchmAddDatasetBlob, [97](#)
- ngchmAddMatrixToCollection, [97](#)
- ngchmAddObjectToCollection, [98](#)
- ngchmAxis-class, [98](#)
- ngchmAxisFunction, [49](#), [80](#), [82](#)
- ngchmAxisFunction-class, [98](#)
- ngchmAxisType, [9](#), [22](#)
- ngchmAxisType-class, [99](#)
- ngchmBar, [37](#), [69](#), [111](#)
- ngchmBar-class, [99](#)
- ngchmCollectionInCollection, [99](#)
- ngchmCollectionTree, [100](#)
- ngchmColormap, [9](#), [67](#)
- ngchmColormap-class, [100](#)
- ngchmCovariate, [10](#), [11](#), [36](#), [68](#), [71](#)
- ngchmCovariate-class, [100](#)
- ngchmCreateServerProtocol, [101](#)
- ngchmCSS, [12](#)
- ngchmCSS-class, [102](#)
- ngchmDataset, [13](#), [71](#)
- ngchmDataset-class, [102](#)
- ngchmDialog, [13](#)
- ngchmDialog-class, [102](#)
- ngchmFindRepo, [102](#)
- ngchmGetDataFileShaId, [103](#)
- ngchmGetEnv, [103](#)
- ngchmGetHandleHTTR, [104](#)
- ngchmGetLabels, [104](#)

ngchmGetLabelsStr, 105  
 ngchmGetProtoParam, 105  
 ngchmGetServerProtocol, 106  
 ngchmGetServerProtocol(), 41  
 ngchmInitShaidyRepository, 106  
 ngchmJS, 73  
 ngchmJS-class, 107  
 ngchmLayer, 14, 55, 56, 70  
 ngchmLayer-class, 107  
 ngchmListServerProtocols, 107  
 ngchmLoadDatasetBlob, 108  
 ngchmMakeFormat.original, 108  
 ngchmMakeFormat.original(), 60  
 ngchmMakeFormat.shaidy, 109  
 ngchmMatrixFunction, 49, 80, 82  
 ngchmMatrixFunction-class, 110  
 ngchmMenuItem, 15  
 ngchmMenuItem-class, 110  
 ngchmMetaData-class, 110  
 ngchmNewBar, 110  
 ngchmNewCollection, 112  
 ngchmOverview-class, 112  
 ngchmProperty, 18  
 ngchmProperty-class, 112  
 ngchmProtoParamCheck, 113  
 ngchmPushSourceRepository, 113  
 ngchmPushSourceServer, 114  
 ngchmPushSourceServer(), 60  
 ngchmPushTempRepository, 114  
 ngchmRegisterServer, 115  
 ngchmRegisterServer(), 120  
 ngchmRelated-class, 115  
 ngchmRelatedGroup-class, 115  
 ngchmRenderChm, 116  
 ngchmResponseJSON, 116  
 ngchmRowCenter, 117  
 ngchmSaveAsDatasetBlob, 117  
 ngchmSaveAsDendrogramBlob, 118  
 ngchmSaveChmAsBlob, 118  
 ngchmServer, 41, 43, 52, 53, 60–62, 65, 74, 86, 90, 115, 120  
 ngchmServer-class, 119  
 ngchmServerProtocol, 41  
 ngchmServerProtocol-class, 119  
 ngchmTemplate-class, 119  
 ngchmTileDataset, 119  
 ngchmTypeMapper-class, 120  
 ngchmUnregisterServer, 120  
 ngchmUnregisterServer(), 115  
 ngchmValueProp-class, 120  
 ngchmVersion2-class, 121  
 optDendrogram-class, 122  
 plot.ngchmVersion2, 123  
 print.ngchm.type.info, 123  
 print.shaidyRepo, 124  
 shaid-class, 124  
 shaidyAddFileBlob, 125  
 shaidyBlobExists, 125  
 shaidyCopyBlob, 126  
 shaidyCreateProtoBlob, 126  
 shaidyFinalizeProtoBlob, 127  
 shaidyFindRepo, 127  
 shaidyGetComponents, 128  
 shaidyGetComponents, ngchm-method  
     (shaidyGetComponents), 128  
 shaidyGetComponents, ngchmCovariate-method  
     (shaidyGetComponents), 128  
 shaidyGetComponents, ngchmDataset-method  
     (shaidyGetComponents), 128  
 shaidyGetShaid, 128  
 shaidyGetShaid, ngchm-method  
     (shaidyGetShaid), 128  
 shaidyHashProtoBlob, 129  
 shaidyInitRepository, 129  
 shaidyLoadProvenanceDB, 130  
 shaidyLoadProvidDB, 130  
 shaidyLoadRepository, 131  
 shaidyNewCache, 131  
 shaidyProvenance, 132  
 shaidyRepoAPI, 132  
 stats::prcomp(), 17  
 treeCuts, 89  
 treeCuts-class, 133  
 utils::browseURL(), 31, 63  
 verifyNumeric, 133